

osCommerce Online Merchant v2.3.4

osCommerce Online Merchant v2.3.4 is a general maintenance release focusing on improving core features and introduces a new Content Modules feature.

This release is based on v2.3.3.4, not on v2.3.3. It is therefore important to review the [v2.3.3.1 to v2.3.3.4 release notes](#) when upgrading from v2.3.3.

This document can be found online at:

http://library.oscommerce.com/Online&en&oscom_2_3&release_notes&v2_3_4

Changelog Changes from v2.3.3.4

The following changes have been applied:

Title	Description	Bug	Severity	Developer
jQuery UI (2+ files)	Update jQuery UI from 1.8.22 to 1.10.4.		Low	Harald
jQuery (2+ files)	Update jQuery from 1.8.0 to 1.11.0.		Low	Harald
Flot (jQuery Library) (1+ files)	Update Flot (jQuery Library) from 0.6 to 0.8.2.		Low	Harald
PhotosetGrid and ColorBox (3+ files)	Replace bxGallery and FancyBox with PhotosetGrid and Colorbox.		Low	Harald
Administration Tool Boxes (1 file)	Fix height of Administration Tool boxes.		Low	Harald
Improve \$PHP_SELF (11 files)	Improve \$PHP_SELF to work in subdirectories.		Low	Harald
Session Lifetime (5 files + SQL)	Change database session lifetime to match file session lifetime.		Low	Harald
Block Orders With No Shipping (2 files + SQL)	Block orders when no shipping modules are available for the destination.		Low	Harald
Product Attributes Administration (1 file)	Remove double query in product attributes administration.		Low	Gary
Remove Free Shipping Check On Non-Related Page (1 file)	Remove check on non-existing \$free_shipping variable.		Low	Harald
Checkout Confirmation MessageStack (1 file)	Add message stack output to the checkout confirmation page.		Low	Harald
CA Public Certificate Bundle (1 file)	Add the CA public certificate bundle for curl to use on secure connections.		Low	Harald
Modules Administration (1 file)	Detect when modules have been removed without using the Administration Tool.		Low	Scott
HTTPS Administration Tool (22 files + Config)	Force HTTPS on the Administration Tool if SSL is enabled.		Low	Harald
Content Modules (6+ files)	Introduce Content Modules for the Login, My Account, and Checkout Success pages.		Low	Harald
Version Update (1 file)	Update version to v2.3.4.			
Administration Dashboard Latest News and Add-Ons (4+ files)	Update the Administration Tool Dashboard Latest News and Latest Add-Ons modules.		Low	Gary
Administration Tool Orders Box (3 files)	Please Orders in own Administration Tool menu.		Low	Harald
Payment Acceptance Box (2+ files)	Introduce a new payment acceptance box.		Low	Harald
PayPal Modules (23 files)	Update the following modules: PayPal Express Checkout PayPal Payments Standard PayPal Payments Pro (Direct Payment) PayPal Express Checkout (Payflow Edition) PayPal Payments Pro (Payflow Edition) Introduce the following modules: PayPal Payments Pro (Hosted Solution) Log In with PayPal		Low	Harald
Sage Pay Modules (12 files)	Update the following modules: Sage Pay Direct Sage Pay Form Sage Pay Server Introduce the following modules: Sage Pay Cards Management Page content module		Low	Harald
Authorize.net Modules (7 files)	Update the following modules: Authorize.net Server Integration Method (SIM) Authorize.net Advanced Integration Method (AIM) Introduce the following modules: Authorize.net Direct Post Method (DPM)		Low	Harald

Title	Description	Bug	Severity	Developer
Stripe Modules (5 files)	Introduce the following modules: Stripe.js payment module Stripe Cards Management Page content module		Low	Harald
Braintree Modules (5+ files)	Introduce the following modules: Braintree payment module Braintree Cards Management Page content module		Low	Harald
WorldPay Modules (3 files)	Update the WorldPay Hosted Payment Pages payment module.		Low	Harald

New Modules

The following modules have been added:

Administration Tool Boxes	Description
Content Modules	Administration page to install and configure Content Modules.
Orders	Orders now has its own box, taken out of the Customers box.

Catalog Boxes	Description
Payment Acceptance	Shows payment logos that are accepted on the store.

Content Modules	Description
Set Password (account)	Replace the My Account Change Password link to My Account Set Password if the account was created without a password (eg, through Log In with PayPal).
Sage Pay Cards Management Page (account)	Add a cards management page to My Account to allow customers to manage their stored payment cards.
Stripe Cards Management Page (account)	Add a cards management page to My Account to allow customers to manage their stored payment cards.
Braintree Cards Management Page (account)	Add a cards management page to My Account to allow customers to manage their stored payment cards.
Downloads (checkout_success)	Show download links on the checkout success page if the order status allows downloads.
Product Notifications (checkout_success)	Show product notifications on the checkout success page.
Redirect Old Order (checkout_success)	Redirect to the My Account page if the checkout success page is called after 60 minutes from the customers last order.
Thank You (checkout_success)	Show the thank you text on the checkout success page.
Create Account Link (login)	Show the create account link on the login page for new customers to use.
Login Form (login)	Show the login form on the login page.
Log In with PayPal (login)	Allow customers to be authenticated with their PayPal account.

Payment Modules
PayPal Payments Pro (Hosted Solution)
Authorize.net Direct Post Method (DPM)
Stripe.js
Braintree

Updated Modules

The following modules have been updated:

Administration Tool Dashboard Modules
Latest News
Latest Add-Ons
Payment Modules
PayPal Express Checkout
PayPal Payments Standard
PayPal Payments Pro (Direct Payment)

Payment Modules

[PayPal Express Checkout \(Payflow Edition\)](#)

[PayPal Payments Pro \(Payflow Edition\)](#)

[Sage Pay Direct](#)

[Sage Pay Form](#)

[Sage Pay Server](#)

[Authorize.net Server Integration Method \(SIM\)](#)

[Authorize.net Advanced Integration Method \(AIM\)](#)

[WorldPay Hosted Payment Pages](#)

External Library Updates

The following external libraries have been updated:

Title	Description
jQuery	1.8.0 to 1.11.1.
jQuery UI	1.8.22 to 1.10.4.
Flot (jQuery)	0.6 to 0.8.3.
bxGallery -> PhotosetGrid	bxGallery has been replaced by PhotosetGrid.
Fancybox -> Colorbox	Fancybox has been replaced by Colorbox.

API Changes

The following API changes have been applied:

Title	Description
<code>\$PHP_SELF</code>	The value of <code>\$PHP_SELF</code> is now set by parsing the requested url through <code>parse_url()</code> and using the 'path' value returned. This value is no longer parsed through <code>basename()</code> to allow pages to be linked to in subdirectories (eg, <code>ext/</code>).
Session Lifetime	The database based session lifetime now matches the file based session life time for a consistent behaviour. Old sessions are now cleaned up automatically by PHP's session garbage collection settings.
Cookie Based Sessions	The GET and POST session values are ignored when force cookie based sessions is enabled.
<code>SHIPPING_ALLOW_UNDEFINED_ZONES</code>	New configuration parameter to control if orders can be made to destinations without defined shipping rates. (<i>False</i> by default)
Content Modules	New functions have been added to the template class to manage the new Content Modules implementation.
Admin Config Parameters	The following parameters have been added to <code>admin/includes/configure.php</code> : <code>HTTPS_SERVER</code> <code>ENABLE_SSL</code> <code>HTTP_COOKIE_DOMAIN</code> <code>HTTPS_COOKIE_DOMAIN</code> <code>HTTP_COOKIE_PATH</code> <code>HTTPS_COOKIE_PATH</code> <code>DIR_WS_HTTPS_ADMIN</code>
Empty Customer Passwords	If the Set Password account content module is enabled, customer accounts created automatically through PayPal Express Checkout (guest orders) and Log In with PayPal are created with empty passwords. The Set Password account content module detects such accounts and replaces the My Account -> Change Password link to a Set Password link. It is not possible to log in locally with an empty password.

Language Definitions

The following language definitions have been modified:

Definitions	Status
[admin english.php] <code>BOX_CUSTOMERS_ORDERS</code> <code>BOX_HEADING_ORDERS</code> <code>BOX_ORDERS_ORDERS</code>	Deleted New New
[admin] modules/boxes/modules_content.php <code>MODULES_ADMIN_MENU_MODULES_CONTENT</code>	New
[admin] modules/dashboard/d_latest_addons.php <code>MODULE_ADMIN_DASHBOARD_LATEST_ADDONS_ICON_SITE</code>	New
[admin] modules/dashboard/d_latest_news.php <code>MODULE_ADMIN_DASHBOARD_LATEST_NEWS_ICON_NEWS</code> <code>MODULE_ADMIN_DASHBOARD_LATEST_NEWS_ICON_GOOGLE_PLUS</code>	New New

Definitions	Status
[admin] modules_content.php	
HEADING_TITLE	New
TABLE_HEADING_MODULES	New
TABLE_HEADING_GROUP	New
TABLE_HEADING_SORT_ORDER	New
TABLE_HEADING_ACTION	New
TEXT_INFO_VERSION	New
TEXT_INFO_ONLINE_STATUS	New
TEXT_INFO_API_VERSION	New
TEXT_MODULE_DIRECTORY	New
checkout_shipping.php	
ERROR_NO_SHIPPING_AVAILABLE_TO_SHIPPING_ADDRESS	New
checkout_success.php	
TEXT_SUCCESS	Deleted
TEXT_NOTIFY_PRODUCTS	Deleted
TEXT_SEE_ORDERS	Deleted
TEXT_CONTACT_STORE_OWNER	Deleted
TEXT_THANKS_FOR_SHOPPING	Deleted
TABLE_HEADING_DOWNLOAD_DATE	Deleted
TABLE_HEADING_DOWNLOAD_COUNT	Deleted
HEADING_DOWNLOAD	Deleted
FOOTER_DOWNLOAD	Deleted
login.php	
HEADING_NEW_CUSTOMER	Deleted
TEXT_NEW_CUSTOMER	Deleted
TEXT_NEW_CUSTOMER_INTRODUCTION	Deleted
HEADING_RETURNING_CUSTOMER	Deleted
TEXT_RETURNING_CUSTOMER	Deleted
TEXT_PASSWORD_FORGOTTEN	Deleted
TEXT_LOGIN_ERROR	Deleted
TEXT_VISITORS_CART	Deleted
modules/boxes/bm_card_acceptance.php	
MODULE_BOXES_CARD_ACCEPTANCE_TITLE	New
MODULE_BOXES_CARD_ACCEPTANCE_DESCRIPTION	New
MODULE_BOXES_CARD_ACCEPTANCE_SHOWN_CARDS	New
MODULE_BOXES_CARD_ACCEPTANCE_NEW_CARDS	New
MODULE_BOXES_CARD_ACCEPTANCE_DRAG_HERE	New
MODULE_BOXES_CARD_ACCEPTANCE_BOX_TITLE	New
modules/content/account/cm_account_braintree_cards.php	
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_TITLE	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_DESCRIPTION	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_ERROR_MAIN_MODULE	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_LINK_TITLE	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_NAVBAR_TITLE_1	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_NAVBAR_TITLE_2	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_HEADING_TITLE	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_TEXT_DESCRIPTION	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_SAVED_CARDS_TITLE	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_TEXT_NO_CARDS	New
MODULE_CONTENT_ACCOUNT_BRAINTREE_CARDS_SUCCESS_DELETED	New
modules/content/account/cm_account_sage_pay_cards.php	
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_TITLE	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_DESCRIPTION	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_ERROR_MAIN_MODULE	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_LINK_TITLE	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_NAVBAR_TITLE_1	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_NAVBAR_TITLE_2	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_HEADING_TITLE	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_TEXT_DESCRIPTION	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_SAVED_CARDS_TITLE	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_TEXT_NO_CARDS	New
MODULE_CONTENT_ACCOUNT_SAGE_PAY_CARDS_SUCCESS_DELETED	New
modules/content/account/cm_account_set_password.php	
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_TITLE	New
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_DESCRIPTION	New
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_SET_PASSWORD_LINK_TITLE	New
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_NAVBAR_TITLE_1	New
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_NAVBAR_TITLE_2	New
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_HEADING_TITLE	New
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_SET_PASSWORD_TITLE	New
MODULE_CONTENT_ACCOUNT_SET_PASSWORD_SUCCESS_PASSWORD_SET	New

Definitions	Status
modules/content/account/cm_account_stripe_cards.php	
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_TITLE	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_DESCRIPTION	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_ERROR_MAIN_MODULE	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_LINK_TITLE	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_NAVBAR_TITLE_1	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_NAVBAR_TITLE_2	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_HEADING_TITLE	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_TEXT_DESCRIPTION	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_SAVED_CARDS_TITLE	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_TEXT_NO_CARDS	New
MODULE_CONTENT_ACCOUNT_STRIPE_CARDS_SUCCESS_DELETED	New
modules/content/checkout_success/cm_cs_downloads.php	
MODULE_CONTENT_CHECKOUT_SUCCESS_DOWNLOADS_TITLE	New
MODULE_CONTENT_CHECKOUT_SUCCESS_DOWNLOADS_DESCRIPTION	New
TABLE_HEADING_DOWNLOAD_DATE	New
TABLE_HEADING_DOWNLOAD_COUNT	New
HEADING_DOWNLOAD	New
FOOTER_DOWNLOAD	New
modules/content/checkout_success/cm_cs_product_notifications.php	
MODULE_CONTENT_CHECKOUT_SUCCESS_PRODUCT_NOTIFICATIONS_TITLE	New
MODULE_CONTENT_CHECKOUT_SUCCESS_PRODUCT_NOTIFICATIONS_DESCRIPTION	New
MODULE_CONTENT_CHECKOUT_SUCCESS_PRODUCT_NOTIFICATIONS_TEXT_NOTIFY_PRODUCTS	New
modules/content/checkout_success/cm_cs_redirect_old_order.php	
MODULE_CONTENT_CHECKOUT_SUCCESS_REDIRECT_OLD_ORDER_TITLE	New
MODULE_CONTENT_CHECKOUT_SUCCESS_REDIRECT_OLD_ORDER_DESCRIPTION	New
modules/content/checkout_success/cm_cs_thank_you.php	
MODULE_CONTENT_CHECKOUT_SUCCESS_THANK_YOU_TITLE	New
MODULE_CONTENT_CHECKOUT_SUCCESS_THANK_YOU_DESCRIPTION	New
MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_SUCCESS	New
MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_SEE_ORDERS	New
MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_CONTACT_STORE_OWNER	New
MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_THANKS_FOR_SHOPPING	New
modules/content/login/cm_create_account_link.php	
MODULE_CONTENT_CREATE_ACCOUNT_LINK_TITLE	New
MODULE_CONTENT_CREATE_ACCOUNT_LINK_DESCRIPTION	New
MODULE_CONTENT_LOGIN_HEADING_NEW_CUSTOMER	New
MODULE_CONTENT_LOGIN_TEXT_NEW_CUSTOMER	New
MODULE_CONTENT_LOGIN_TEXT_NEW_CUSTOMER_INTRODUCTION	New
modules/content/login/cm_login_form.php	
MODULE_CONTENT_LOGIN_FORM_TITLE	New
MODULE_CONTENT_LOGIN_FORM_DESCRIPTION	New
MODULE_CONTENT_LOGIN_HEADING_RETURNING_CUSTOMER	New
MODULE_CONTENT_LOGIN_TEXT_RETURNING_CUSTOMER	New
MODULE_CONTENT_LOGIN_TEXT_PASSWORD_FORGOTTEN	New
MODULE_CONTENT_LOGIN_TEXT_LOGIN_ERROR	New

Definitions**Status****modules/content/login/cm_paypal_login.php**

MODULE_CONTENT_PAYPAL_LOGIN_TITLE	New
MODULE_CONTENT_PAYPAL_LOGIN_DESCRIPTION	New
MODULE_CONTENT_PAYPAL_LOGIN_TEMPLATE_TITLE	New
MODULE_CONTENT_PAYPAL_LOGIN_TEMPLATE_CONTENT	New
MODULE_CONTENT_PAYPAL_LOGIN_TEMPLATE_SANDBOX	New
MODULE_CONTENT_PAYPAL_LOGIN_ERROR_ADMIN_CURL	New
MODULE_CONTENT_PAYPAL_LOGIN_ERROR_ADMIN_CONFIGURATION	New
MODULE_CONTENT_PAYPAL_LOGIN_LANGUAGE_LOCALE	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_GROUP_personal	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_GROUP_address	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_GROUP_account	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_GROUP_checkout	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_full_name	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_date_of_birth	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_age_range	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_gender	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_email_address	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_street_address	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_city	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_state	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_country	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_zip_code	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_phone	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_account_status	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_account_type	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_account_creation_date	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_time_zone	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_locale	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_language	New
MODULE_CONTENT_PAYPAL_LOGIN_ATTR_seamless_checkout	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_TITLE	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_TIME	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_SUCCESS	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_FAILED	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_CONNECTION_ERROR	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_URLS_LINK_TITLE	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_URLS_TITLE	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_URLS_RETURN_TEXT	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_URLS_PRIVACY_TEXT	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_URLS_TERMS_TEXT	New
MODULE_CONTENT_PAYPAL_LOGIN_DIALOG_URLS_BUTTON_CLOSE	New

Definitions

Status

modules/payment/authorizenet_cc_aim.php

MODULE_PAYMENT_AUTHORIZENET_CC_AIM_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_CREDIT_CARD_OWNER	Deleted
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_CREDIT_CARD_OWNER_FIRSTNAME	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_CREDIT_CARD_OWNER_LASTNAME	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_CREDIT_CARD_CVC	Deleted
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_CREDIT_CARD_CCV	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_A	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_B	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_E	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_G	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_N	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_P	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_R	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_S	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_U	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_W	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_X	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_Y	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_AVS_Z	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CVV2_M	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CVV2_N	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CVV2_P	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CVV2_S	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CVV2_U	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_0	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_1	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_2	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_3	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_4	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_5	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_6	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_7	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_8	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_9	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_A	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_TEXT_CAVV_B	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_ERROR_CVC	Deleted
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_ERROR_CCV	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_ERROR_MERCHANT_ACCOUNT	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_ERROR_CURRENCY	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_AUTHORIZENET_CC_AIM_DIALOG_CONNECTION_ERROR	New

modules/payment/authorizenet_cc_dpm.php

MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_TITLE	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_PUBLIC_TITLE	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_DESCRIPTION	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_CREDIT_CARD_OWNER_FIRSTNAME	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_CREDIT_CARD_OWNER_LASTNAME	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_CREDIT_CARD_NUMBER	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_CREDIT_CARD_EXPIRES	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_CREDIT_CARD_CCV	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_RETURN_BUTTON	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_A	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_B	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_E	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_G	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_N	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_P	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_R	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_S	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_U	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_W	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_X	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_Y	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_AVS_Z	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CVV2_M	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CVV2_N	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CVV2_P	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CVV2_S	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CVV2_U	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_0	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_1	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_2	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_3	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_4	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_5	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_6	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_7	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_8	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_9	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_A	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_TEXT_CAVV_B	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_ERROR_TITLE	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_ERROR_VERIFICATION	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_ERROR_DECLINED	New
MODULE_PAYMENT_AUTHORIZENET_CC_DPM_ERROR_GENERAL	New

modules/payment/authorizenet_cc_sim.php

MODULE_PAYMENT_AUTHORIZENET_CC_SIM_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_RETURN_BUTTON	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_A	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_B	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_E	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_G	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_N	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_P	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_R	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_S	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_U	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_W	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_X	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_Y	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_AVS_Z	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CVV2_M	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CVV2_N	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CVV2_P	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CVV2_S	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CVV2_U	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_0	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_1	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_2	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_3	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_4	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_5	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_6	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_7	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_8	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_9	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_A	New
MODULE_PAYMENT_AUTHORIZENET_CC_SIM_TEXT_CAVV_B	New

Definitions

Status

modules/payment/braintree_cc.php

MODULE_PAYMENT_BRAINTREE_CC_TEXT_TITLE	New
MODULE_PAYMENT_BRAINTREE_CC_TEXT_PUBLIC_TITLE	New
MODULE_PAYMENT_BRAINTREE_CC_TEXT_DESCRIPTION	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_ADMIN_PHP	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_ADMIN_PHP_EXTENSIONS	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_ADMIN_MERCHANT_ACCOUNTS	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_BRAINTREE_CC_CREDITCARD_NEW	New
MODULE_PAYMENT_BRAINTREE_CC_CREDITCARD_LAST_4	New
MODULE_PAYMENT_BRAINTREE_CC_CREDITCARD_OWNER	New
MODULE_PAYMENT_BRAINTREE_CC_CREDITCARD_NUMBER	New
MODULE_PAYMENT_BRAINTREE_CC_CREDITCARD_EXPIRY	New
MODULE_PAYMENT_BRAINTREE_CC_CREDITCARD_CVV	New
MODULE_PAYMENT_BRAINTREE_CC_CREDITCARD_SAVE	New
MODULE_PAYMENT_BRAINTREE_CC_CURRENCY_CHARGE	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_TITLE	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_GENERAL	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_CARDOWNER	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_CARDNUMBER	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_CARDEXPIRES	New
MODULE_PAYMENT_BRAINTREE_CC_ERROR_CARDCVV	New

modules/payment/paypal_express.php

MODULE_PAYMENT_PAYPAL_EXPRESS_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_PAYPAL_EXPRESS_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_PAYPAL_EXPRESS_DIALOG_CONNECTION_ERROR	New
MODULE_PAYMENT_PAYPAL_EXPRESS_ERROR_NO_SHIPPING_AVAILABLE_TO_SHIPPING_ADDRESS	New
MODULE_PAYMENT_PAYPAL_EXPRESS_WARNING_LOCAL_LOGIN_REQUIRED	New
MODULE_PAYMENT_PAYPAL_EXPRESS_NOTICE_CHECKOUT_CONFIRMATION	New

modules/payment/paypal_pro_dp.php

MODULE_PAYMENT_PAYPAL_PRO_DP_ERROR_EXPRESS_MODULE	New
MODULE_PAYMENT_PAYPAL_PRO_DP_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_PAYPAL_PRO_DP_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_PAYPAL_PRO_DP_DIALOG_CONNECTION_ERROR	New

modules/payment/paypal_pro_hs.php

MODULE_PAYMENT_PAYPAL_PRO_HS_TEXT_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_HS_TEXT_PUBLIC_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_HS_TEXT_DESCRIPTION	New
MODULE_PAYMENT_PAYPAL_PRO_HS_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_PAYPAL_PRO_HS_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_PAYPAL_PRO_HS_TEXT_PAYPAL_RETURN_BUTTON	New
MODULE_PAYMENT_PAYPAL_PRO_HS_TEXT_INVALID_TRANSACTION	New
MODULE_PAYMENT_PAYPAL_PRO_HS_ERROR_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_HS_ERROR_GENERAL	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_PAYPAL_PRO_HS_DIALOG_CONNECTION_ERROR	New

Definitions	Status
modules/payment/paypal_pro_payflow_dp.php	
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_ERROR_EXPRESS_MODULE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_CARD_OWNER	Deleted
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_CARD_TYPE	Deleted
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_CARD_VALID_FROM	Deleted
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_CARD_VALID_FROM_INFO	Deleted
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_CARD_ISSUE_NUMBER	Deleted
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_CARD_ISSUE_NUMBER_INFO	Deleted
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_DP_DIALOG_CONNECTION_ERROR	New
modules/payment/paypal_pro_payflow_ec.php	
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_ERROR_DIRECT_MODULE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_BUTTON	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_EMAIL_PASSWORD	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_DIALOG_CONNECTION_ERROR	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_ERROR_NO_SHIPPING_AVAILABLE_TO_SHIPPING_ADDRESS	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_WARNING_LOCAL_LOGIN_REQUIRED	New
MODULE_PAYMENT_PAYPAL_PRO_PAYFLOW_EC_NOTICE_CHECKOUT_CONFIRMATION	New
modules/payment/paypal_standard.php	
MODULE_PAYMENT_PAYPAL_STANDARD_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_PAYPAL_STANDARD_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_PAYPAL_STANDARD_TEXT_PAYPAL_RETURN_BUTTON	New
MODULE_PAYMENT_PAYPAL_STANDARD_TEXT_INVALID_TRANSACTION	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_PAYPAL_STANDARD_DIALOG_CONNECTION_ERROR	New
modules/payment/sage_pay_direct.php	
MODULE_PAYMENT_SAGE_PAY_DIRECT_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_CREDIT_CARD_NEW	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_CREDIT_CARD_SAVE	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_SAGE_PAY_DIRECT_DIALOG_CONNECTION_ERROR	New
modules/payment/sage_pay_form.php	
MODULE_PAYMENT_SAGE_PAY_FORM_ERROR_ADMIN_MCRYPT	New
MODULE_PAYMENT_SAGE_PAY_FORM_ERROR_ADMIN_CONFIGURATION	New
modules/payment/sage_pay_server.php	
MODULE_PAYMENT_SAGE_PAY_SERVER_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_SAGE_PAY_SERVER_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_SAGE_PAY_SERVER_DIALOG_CONNECTION_ERROR	New

Definitions

Status

modules/payment/stripe.php

MODULE_PAYMENT_STRIPE_TEXT_TITLE	New
MODULE_PAYMENT_STRIPE_TEXT_PUBLIC_TITLE	New
MODULE_PAYMENT_STRIPE_TEXT_DESCRIPTION	New
MODULE_PAYMENT_STRIPE_ERROR_ADMIN_CURL	New
MODULE_PAYMENT_STRIPE_ERROR_ADMIN_CONFIGURATION	New
MODULE_PAYMENT_STRIPE_CREDITCARD_NEW	New
MODULE_PAYMENT_STRIPE_CREDITCARD_OWNER	New
MODULE_PAYMENT_STRIPE_CREDITCARD_NUMBER	New
MODULE_PAYMENT_STRIPE_CREDITCARD_EXPIRY	New
MODULE_PAYMENT_STRIPE_CREDITCARD_CVC	New
MODULE_PAYMENT_STRIPE_CREDITCARD_SAVE	New
MODULE_PAYMENT_STRIPE_ERROR_TITLE	New
MODULE_PAYMENT_STRIPE_ERROR_GENERAL	New
MODULE_PAYMENT_STRIPE_ERROR_CARDSTORED	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_LINK_TITLE	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_TITLE	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_GENERAL_TEXT	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_BUTTON_CLOSE	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_TIME	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_SUCCESS	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_FAILED	New
MODULE_PAYMENT_STRIPE_DIALOG_CONNECTION_ERROR	New

Modified Files

Files that have been modified in this release include:

Modified Files

account.php

admin/cache.php

admin/categories.php

admin/images/icon_facebook.png

admin/images/icon_twitter.png

admin/includes/application_top.php

admin/includes/boxes/customers.php

admin/includes/classes/split_page_results.php

admin/includes/column_left.php

admin/includes/functions/general.php

admin/includes/functions/html_output.php

admin/includes/functions/sessions.php

admin/includes/header.php

admin/includes/languages/english.php

admin/includes/languages/english/modules/dashboard/d_latest_addons.php

admin/includes/languages/english/modules/dashboard/d_latest_news.php

admin/includes/modules/dashboard/d_latest_addons.php

admin/includes/modules/dashboard/d_latest_news.php

admin/includes/modules/security_check/extended/admin_backup_directory_listing.php

admin/includes/modules/security_check/extended/admin_backup_file.php

admin/includes/modules/security_check/extended/ext_directory_listing.php

admin/includes/template_top.php

admin/invoice.php

admin/modules.php

admin/packingslip.php

admin/products_attributes.php

admin/reviews.php

admin/specials.php

admin/stats_customers.php

Modified Files

admin/stats_products_purchased.php

admin/stats_products_viewed.php

admin/whos_online.php

checkout_confirmation.php

checkout_payment.php

checkout_shipping.php

checkout_success.php

ext/modules/payment/paypal/express.php

ext/modules/payment/paypal/express_payflow.php

ext/modules/payment/paypal/standard_ipn.php

ext/modules/payment/rbsworldpay/hosted_callback.php

ext/modules/payment/sage_pay/checkout.php

ext/modules/payment/sage_pay/errors.php

includes/application_top.php

includes/classes/navigation_history.php

includes/classes/osc_template.php

includes/classes/split_page_results.php

includes/functions/general.php

includes/functions/sessions.php

includes/languages/english/checkout_shipping.php

includes/languages/english/checkout_success.php

includes/languages/english/login.php

includes/languages/english/modules/payment/authorizenet_cc_aim.php

includes/languages/english/modules/payment/authorizenet_cc_sim.php

includes/languages/english/modules/payment/paypal_express.php

includes/languages/english/modules/payment/paypal_pro_dp.php

includes/languages/english/modules/payment/paypal_pro_payflow_dp.php

includes/languages/english/modules/payment/paypal_pro_payflow_ec.php

includes/languages/english/modules/payment/paypal_standard.php

includes/languages/english/modules/payment/rbsworldpay_hosted.php

includes/languages/english/modules/payment/sage_pay_direct.php

includes/languages/english/modules/payment/sage_pay_form.php

includes/languages/english/modules/payment/sage_pay_server.php

includes/modules/boxes/bm_currencies.php

includes/modules/boxes/bm_languages.php

includes/modules/boxes/bm_order_history.php

includes/modules/boxes/bm_product_notifications.php

includes/modules/payment/authorizenet_cc_aim.php

includes/modules/payment/authorizenet_cc_sim.php

includes/modules/payment/paypal_express.php

includes/modules/payment/paypal_pro_dp.php

includes/modules/payment/paypal_pro_payflow_dp.php

includes/modules/payment/paypal_pro_payflow_ec.php

includes/modules/payment/paypal_standard.php

includes/modules/payment/rbsworldpay_hosted.php

includes/modules/payment/sage_pay_direct.php

Modified Files

includes/modules/payment/sage_pay_form.php

includes/modules/payment/sage_pay_server.php

includes/modules/product_listing.php

includes/template_top.php

includes/version.php

login.php

logout.php

product_info.php

stylesheet.css

New Files

admin/images/icon_google_plus.png

admin/images/icon_oscommerce.png

admin/includes/boxes/modules_content.php

admin/includes/boxes/orders.php

admin/includes/languages/english/modules/boxes/modules_content.php

admin/includes/languages/english/modules_content.php

admin/modules_content.php

ext/modules/content/account/braintree/cards.php

ext/modules/content/account/sage_pay/cards.php

ext/modules/content/account/set_password.php

ext/modules/content/account/stripe/cards.php

ext/modules/payment/authorizenet/authorize.net.crt

ext/modules/payment/paypal/hosted_checkout.php

ext/modules/payment/paypal/images/hss_load.gif

ext/modules/payment/paypal/paypal.com.crt

ext/modules/payment/paypal/pro_hosted_ipn.php

ext/modules/payment/sage_pay/server.php

images/card_acceptance/american_express.png

images/card_acceptance/cirrus.png

images/card_acceptance/cirrus_transparent.png

images/card_acceptance/discover.png

images/card_acceptance/maestro.png

images/card_acceptance/maestro_transparent.png

images/card_acceptance/mastercard.png

images/card_acceptance/mastercard_transparent.png

images/card_acceptance/paypal.png

images/card_acceptance/paypal_horizontal_large.png

images/card_acceptance/paypal_monogram.png

images/card_acceptance/visa.png

includes/cacert.pem

includes/languages/english/modules/boxes/bm_card_acceptance.php

includes/languages/english/modules/content/account/cm_account_braintree_cards.php

includes/languages/english/modules/content/account/cm_account_sage_pay_cards.php

includes/languages/english/modules/content/account/cm_account_set_password.php

includes/languages/english/modules/content/account/cm_account_stripe_cards.php

includes/languages/english/modules/content/checkout_success/cm_cs_downloads.php

New Files

includes/languages/english/modules/content/checkout_success/cm_cs_product_notifications.php

includes/languages/english/modules/content/checkout_success/cm_cs_redirect_old_order.php

includes/languages/english/modules/content/checkout_success/cm_cs_thank_you.php

includes/languages/english/modules/content/login/cm_create_account_link.php

includes/languages/english/modules/content/login/cm_login_form.php

includes/languages/english/modules/content/login/cm_paypal_login.php

includes/languages/english/modules/payment/authorizenet_cc_dpm.php

includes/languages/english/modules/payment/braintree_cc.php

includes/languages/english/modules/payment/paypal_pro_hs.php

includes/languages/english/modules/payment/stripe.php

includes/modules/boxes/bm_card_acceptance.php

includes/modules/content/account/cm_account_braintree_cards.php

includes/modules/content/account/cm_account_sage_pay_cards.php

includes/modules/content/account/cm_account_set_password.php

includes/modules/content/account/cm_account_stripe_cards.php

includes/modules/content/checkout_success/cm_cs_downloads.php

includes/modules/content/checkout_success/cm_cs_product_notifications.php

includes/modules/content/checkout_success/cm_cs_redirect_old_order.php

includes/modules/content/checkout_success/cm_cs_thank_you.php

includes/modules/content/checkout_success/templates/product_notifications.php

includes/modules/content/checkout_success/templates/thank_you.php

includes/modules/content/login/cm_create_account_link.php

includes/modules/content/login/cm_login_form.php

includes/modules/content/login/cm_paypal_login.php

includes/modules/content/login/templates/create_account_link.php

includes/modules/content/login/templates/login_form.php

includes/modules/content/login/templates/paypal_login.php

includes/modules/pages/tp_account.php

includes/modules/payment/authorizenet_cc_dpm.php

includes/modules/payment/braintree_cc.php

includes/modules/payment/braintree_cc/*

includes/modules/payment/paypal_pro_hs.php

includes/modules/payment/stripe.php

Deleted Files

admin/ext/modules/payment/paypal/paypal_express.php

File Changes

jQuery UI (2+ files)

This changeset updates the jQuery UI javascript library and theme from v1.8.22 to v1.10.4 and removes a bug fix workaround the earlier version introduced.

Delete the following directories and files:

📁 **ext/jquery/ui/i18n**

📄 **ext/jquery/ui/jquery-ui-1.8.22.min.js**

📁 **ext/jquery/ui/redmond**

Copy the following directories and files to their respective destination:

📁 **ext/jquery/ui/i18n**

📄 **ext/jquery/ui/jquery-ui-1.10.4.min.js**

📁 **ext/jquery/ui/redmond**

In:

admin/includes/template_top.php

around line 21, change from:

```
<link rel="stylesheet" type="text/css" href="<?php echo tep_catalog_href_link('ext/jquery/ui/redmond/jquery-ui-1.8.22.css'); ?>">
```

to:

```
<link rel="stylesheet" type="text/css" href="<?php echo tep_catalog_href_link('ext/jquery/ui/redmond/jquery-ui-1.10.4.min.css'); ?>">
```

around line 23, change from:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/ui/jquery-ui-1.8.22.min.js'); ?>"></script>

<script type="text/javascript">
// fix jQuery 1.8.0 and jQuery UI 1.8.22 bug with dialog buttons; http://bugs.jqueryui.com/ticket/8484
if ( $.attrFn ) { $.attrFn.text = true; }
</script>
```

to:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/ui/jquery-ui-1.10.4.min.js'); ?>"></script>
```

includes/template_top.php

around line 29, change from:

```
<link rel="stylesheet" type="text/css" href="ext/jquery/ui/redmond/jquery-ui-1.8.22.css" />
```

to:

```
<link rel="stylesheet" type="text/css" href="ext/jquery/ui/redmond/jquery-ui-1.10.4.min.css" />
```

around line 31, change from:

```
<script type="text/javascript" src="ext/jquery/ui/jquery-ui-1.8.22.min.js"></script>
<script type="text/javascript">
// fix jQuery 1.8.0 and jQuery UI 1.8.22 bug with dialog buttons; http://bugs.jqueryui.com/ticket/8484
if ( $.attrFn ) { $.attrFn.text = true; }
</script>
```

to:

```
<script type="text/javascript" src="ext/jquery/ui/jquery-ui-1.10.4.min.js"></script>
```

[View online at GitHub](#)

jQuery (2+ files)

This changeset updates the jQuery javascript library from v1.8.0 to v1.11.1.

Delete the following file:

ext/jquery/jquery-1.8.0.min.js

Copy the following file to its respective destination:

ext/jquery/jquery-1.11.1.min.js

In:

admin/includes/template_top.php

around line 22, change from:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/jquery-1.8.0.min.js'); ?>"></script>
```

to:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/jquery-1.11.1.min.js'); ?>"></script>
```

includes/template_top.php

around line 30, change from:

```
<script type="text/javascript" src="ext/jquery/jquery-1.8.0.min.js"></script>
```

to:

```
<script type="text/javascript" src="ext/jquery/jquery-1.11.1.min.js"></script>
```

[View online at GitHub](#)

Flot (jQuery Library) (1+ files)

This changeset updates the Flot jQuery library from v0.6 to v0.8.3.

Delete the following directory:

■ **ext/flot**

Copy the following directory to its respective destination:

■ **ext/flot**

In:

■ **admin/includes/template_top.php**

around line 36, change from:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/jquery.flot.js'); ?>"></script>
```

to:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/jquery.flot.min.js'); ?>"></script>
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/jquery.flot.time.min.js'); ?>"></script>
```

[View online at GitHub](#)



PhotosetGrid and ColorBox (3+ files)

This changeset replaces the bxGallery and FancyBox jQuery libraries with PhotosetGrid and Colorbox jQuery libraries.

Delete the following directories:

■ **ext/jquery/bxGallery**

■ **ext/jquery/fancybox**

Copy the following directories to their respective destination:

■ **ext/colorbox**

■ **ext/photoset-grid**

In:

■ **includes/template_top.php**

around line 44, change from:

```
<script type="text/javascript" src="ext/jquery/bxGallery/jquery.bxGallery.1.1.min.js"></script>
<link rel="stylesheet" type="text/css" href="ext/jquery/fancybox/jquery.fancybox-1.3.4.css" />
<script type="text/javascript" src="ext/jquery/fancybox/jquery.fancybox-1.3.4.pack.js"></script>
```

to:

```
<script type="text/javascript" src="ext/photoset-grid/jquery.photoset-grid.min.js"></script>

<link rel="stylesheet" type="text/css" href="ext/colorbox/colorbox.css" />
<script type="text/javascript" src="ext/colorbox/jquery.colorbox-min.js"></script>
```

■ **product_info.php**

around line 69, change from:


```

<?php
    if (tep_not_null($product_info['products_image'])) {
        $pi_query = tep_db_query("select image, htmlcontent from " . TABLE_PRODUCTS_IMAGES . " where products_id = '" . (int)$product_info['products_id'] . "' or
        der by sort_order");

        if (tep_db_num_rows($pi_query) > 0) {
?>

<div id="piGal" style="float: right;">
    <ul>

<?php
    $pi_counter = 0;
    while ($pi = tep_db_fetch_array($pi_query)) {
        $pi_counter++;

        $pi_entry = '        <li><a href=""';

        if (tep_not_null($pi['htmlcontent'])) {
            $pi_entry .= '#piGalimg_' . $pi_counter;
        } else {
            $pi_entry .= tep_href_link(DIR_WS_IMAGES . $pi['image'], '', 'NONSSL', false);
        }

        $pi_entry .= '" target="_blank" rel="fancybox">' . tep_image(DIR_WS_IMAGES . $pi['image']) . '</a>';

        if (tep_not_null($pi['htmlcontent'])) {
            $pi_entry .= '<div style="display: none;"><div id="piGalimg_' . $pi_counter . '">' . $pi['htmlcontent'] . '</div></div>';
        }

        $pi_entry .= '</li>';

        echo $pi_entry;
    }
?>

    </ul>
</div>

<script type="text/javascript">
$( '#piGal ul' ).bxGallery({
    maxwidth: 300,
    maxheight: 200,
    thumbwidth: <?php echo (( $pi_counter > 1 ) ? '75' : '0'); ?>,
    thumbcontainer: 300,
    load_image: 'ext/jquery/bxGallery/spinner.gif'
});
</script>

<?php
    } else {
?>

    <div id="piGal" style="float: right;">
        <?php echo '<a href="" . tep_href_link(DIR_WS_IMAGES . $product_info['products_image'], '', 'NONSSL', false) . '" target="_blank" rel="fancybox">' . tep_
        image(DIR_WS_IMAGES . $product_info['products_image'], addslashes($product_info['products_name']), null, null, 'hspace="5" vspace="5") . '</a>'; ?>
    </div>

<?php
    }
?>

<script type="text/javascript">
$( "#piGal a[rel^='fancybox']" ).fancybox({
    cyclic: true
});
</script>

<?php
    }
?>

```

to:

```

<?php
    if (tep_not_null($product_info['products_image'])) {
        $photoset_layout = '1';

```

```

    $pi_query = tep_db_query("select image, htmlcontent from " . TABLE_PRODUCTS_IMAGES . " where products_id = '" . (int)$product_info['products_id'] . "' or
der by sort_order");
    $pi_total = tep_db_num_rows($pi_query);

    if ($pi_total > 0) {
        $pi_sub = $pi_total-1;

        while ($pi_sub > 5) {
            $photoset_layout .= 5;
            $pi_sub = $pi_sub-5;
        }

        if ($pi_sub > 0) {
            $photoset_layout .= ($pi_total > 5) ? 5 : $pi_sub;
        }
    }

    ?>

    <div id="piGal">

    <?php
        $pi_counter = 0;
        $pi_html = array();

        while ($pi = tep_db_fetch_array($pi_query)) {
            $pi_counter++;

            if (tep_not_null($pi['htmlcontent'])) {
                $pi_html[] = '<div id="piGalDiv_' . $pi_counter . '">' . $pi['htmlcontent'] . '</div>';
            }

            echo tep_image(DIR_WS_IMAGES . $pi['image'], '', '', '', 'id="piGalImg_' . $pi_counter . '"');
        }
    ?>

    </div>

    <?php
        if ( !empty($pi_html) ) {
            echo '    <div style="display: none;">' . implode('', $pi_html) . '</div>';
        }
        } else {
    ?>

    <div id="piGal">
        <?php echo tep_image(DIR_WS_IMAGES . $product_info['products_image'], addslashes($product_info['products_name'])); ?>
    </div>

    <?php
    }
    }
    ?>

    <script type="text/javascript">
    $(function() {
        $('#piGal').css({
            'visibility': 'hidden'
        });

        $('#piGal').photosetGrid({
            layout: '<?php echo $photoset_layout; ?>',
            width: '250px',
            highresLinks: true,
            rel: 'pigallery',
            onComplete: function() {
                $('#piGal').css({ 'visibility': 'visible'});
            }

            $('#piGal a').colorbox({
                maxHeight: '90%',
                maxWidth: '90%',
                rel: 'pigallery'
            });

            $('#piGal img').each(function() {
                var imgid = $(this).attr('id').substring(9);

                if ( $('#piGalDiv_' + imgid).length ) {
                    $(this).parent().colorbox({ inline: true, href: "#piGalDiv_" + imgid });
                }
            });
    });
    </script>

```

```
    }  
  });  
});  
</script>
```

■ stylesheet.css

change the following css definitions from:

```
#piGal ul {  
  list-style-type: none;  
}  
  
#piGal img {  
  -webkit-box-shadow: 0px 0px 1px #000;  
  -moz-box-shadow: 0px 0px 1px #000;  
}  
  
#piGal .outer {  
  margin-left: -30px;  
}
```

to:

```
#piGal {  
  float: right;  
  width: 250px;  
}  
  
#piGal img {  
  max-width: 250px;  
  height: auto;  
}
```

[View online at GitHub](#)

Administration Tool Boxes (1 file)

This changeset fixes the height of the Administration Tool boxes to work with the newer jQuery UI javascript library.

■ admin/includes/column_left.php

around line 74, change from:

```
autoHeight: false,
```

to:

```
heightStyle: 'content',
```

[View online at GitHub](#)

Improve \$PHP_SELF (11 files)

This changeset improves the value of \$PHP_SELF and keeps the path when the value is used in subdirectories (eg, viewing pages from the ext/ directory).

■ admin/includes/application_top.php

around line 38, change from:

```
$PHP_SELF = (((strlen(ini_get('cgi.fix_pathinfo')) > 0) && ((bool)ini_get('cgi.fix_pathinfo') == false)) || !isset($_HTTP_SERVER_VARS['SCRIPT_NAME'])) ? basename($_HTTP_SERVER_VARS['PHP_SELF']) : basename($_HTTP_SERVER_VARS['SCRIPT_NAME']);
```

to:

```
$req = parse_url($_HTTP_SERVER_VARS['SCRIPT_NAME']);  
$PHP_SELF = substr($req['path'], strlen(DIR_WS_ADMIN));
```

around line 127, change from:

```
$current_page = basename($PHP_SELF);
```

to:

```
$current_page = $PHP_SELF;
```

■ admin/includes/classes/split_page_results.php

around line 55, change from:

```
$display_links = tep_draw_form('pages', basename($PHP_SELF), '', 'get');
```

to:

```
$display_links = tep_draw_form('pages', $PHP_SELF, '', 'get');
```

around line 58, change from:

```
$display_links .= '<a href="' . tep_href_link(basename($PHP_SELF), $parameters . $page_name . '=' . ($current_page_number - 1), 'NONSSL') . '" class="splitPageLink">' . PREVNEXT_BUTTON_PREV . '</a>&nbsp;&nbsp;&nbsp;';
```

to:

```
$display_links .= '<a href="' . tep_href_link($PHP_SELF, $parameters . $page_name . '=' . ($current_page_number - 1), 'NONSSL') . '" class="splitPageLink">' . PREVNEXT_BUTTON_PREV . '</a>&nbsp;&nbsp;&nbsp;';
```

around line 66, change from:

```
$display_links .= '&nbsp;&nbsp;&nbsp;<a href="' . tep_href_link(basename($PHP_SELF), $parameters . $page_name . '=' . ($current_page_number + 1), 'NONSSL') . '" class="splitPageLink">' . PREVNEXT_BUTTON_NEXT . '</a>';
```

to:

```
$display_links .= '&nbsp;&nbsp;&nbsp;<a href="' . tep_href_link($PHP_SELF, $parameters . $page_name . '=' . ($current_page_number + 1), 'NONSSL') . '" class="splitPageLink">' . PREVNEXT_BUTTON_NEXT . '</a>';
```

includes/application_top.php

around line 47, change from:

```
$PHP_SELF = (((strlen(ini_get('cgi.fix_pathinfo')) > 0) && ((bool)ini_get('cgi.fix_pathinfo') == false)) || !isset($_HTTP_SERVER_VARS['SCRIPT_NAME'])) ? basename($_HTTP_SERVER_VARS['PHP_SELF']) : basename($_HTTP_SERVER_VARS['SCRIPT_NAME']);
```

to:

```
$req = parse_url($_HTTP_SERVER_VARS['SCRIPT_NAME']);  
$PHP_SELF = substr($req['path'], ($request_type == 'NONSSL') ? strlen(DIR_WS_HTTP_CATALOG) : strlen(DIR_WS_HTTPS_CATALOG));
```

around line 317, change from:

```
$goto = basename($PHP_SELF);
```

to:

```
$goto = $PHP_SELF;
```

around line 367, change from:

```
tep_redirect(tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action', 'notify'))));
```

to:

```
tep_redirect(tep_href_link($PHP_SELF, tep_get_all_get_params(array('action', 'notify'))));
```

around line 377, change from:

```
tep_redirect(tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action', 'notify'))));
```

to:

```
tep_redirect(tep_href_link($PHP_SELF, tep_get_all_get_params(array('action', 'notify'))));
```

around line 389, change from:

```
tep_redirect(tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action'))));
```

to:

```
tep_redirect(tep_href_link($PHP_SELF, tep_get_all_get_params(array('action'))));
```

includes/classes/navigation_history.php

around line 30, change from:

```
if ( ($this->path[$i]['page'] == basename($PHP_SELF)) ) {
```

to:

```
if ($this->path[$i]['page'] == $PHP_SELF) {
```

around line 61, change from:


```
if (($this->current_page_number < $this->number_of_pages) && ($this->number_of_pages != 1)) $display_links_string .= '&nbsp;<a href="' . tep_href_link($PHP_SELF, $parameters . 'page=' . ($this->current_page_number + 1), $request_type) . '" class="pageResults" title=" ' . PREVNEXT_TITLE_NEXT_PAGE . '"><u> . PREVNEXT_BUTTON_NEXT . '</u></a>&nbsp;  ';
```

includes/functions/general.php

around line 896, change from:

```
$sort_prefix = '<a href="' . tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('page', 'info', 'sort'))) . 'page=1&sort=' . $colnum . ($sortby == $colnum . 'a' ? 'd' : 'a')) . '" title="' . tep_output_string(TEXT_SORT_PRODUCTS . ($sortby == $colnum . 'd' || substr($sortby, 0, 1) != $colnum ? TEXT_ASCENDINGLY : TEXT_DESCENDINGLY) . TEXT_BY . $heading) . '" class="productListing-heading">';
```

to:

```
$sort_prefix = '<a href="' . tep_href_link($PHP_SELF, tep_get_all_get_params(array('page', 'info', 'sort'))) . 'page=1&sort=' . $colnum . ($sortby == $colnum . 'a' ? 'd' : 'a')) . '" title="' . tep_output_string(TEXT_SORT_PRODUCTS . ($sortby == $colnum . 'd' || substr($sortby, 0, 1) != $colnum ? TEXT_ASCENDINGLY : TEXT_DESCENDINGLY) . TEXT_BY . $heading) . '" class="productListing-heading">';
```

includes/modules/boxes/bm_currencies.php

around line 55, change from:

```
' . tep_draw_form('currencies', tep_href_link(basename($PHP_SELF), '', $request_type, false), 'get') .
```

to:

```
' . tep_draw_form('currencies', tep_href_link($PHP_SELF, '', $request_type, false), 'get') .
```

includes/modules/boxes/bm_languages.php

around line 46, change from:

```
$languages_string .= '<a href="' . tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('language', 'currency'))) . 'language=' . $key, $request_type) . '>' . tep_image(DIR_WS_LANGUAGES . $value['directory'] . '/images/' . $value['image'], $value['name']) . '</a>';
```

to:

```
$languages_string .= '<a href="' . tep_href_link($PHP_SELF, tep_get_all_get_params(array('language', 'currency'))) . 'language=' . $key, $request_type) . '>' . tep_image(DIR_WS_LANGUAGES . $value['directory'] . '/images/' . $value['image'], $value['name']) . '</a>';
```

includes/modules/boxes/bm_order_history.php

around line 51, change from:

```
' <td align="right" valign="top"><a href="' . tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action'))) . 'action=cust_order&pid=' . $products['products_id']) . '>' . tep_image(DIR_WS_ICONS . 'cart.gif', ICON_CART) . '</a></td>'
```

to:

```
' <td align="right" valign="top"><a href="' . tep_href_link($PHP_SELF, tep_get_all_get_params(array('action'))) . 'action=cust_order&pid=' . $products['products_id']) . '>' . tep_image(DIR_WS_ICONS . 'cart.gif', ICON_CART) . '</a></td>'
```

includes/modules/boxes/bm_product_notifications.php

around line 48, change from:

```
if ($notification_exists == true) {  
    $notif_contents = '<table border="0" cellspacing="0" cellpadding="2" class="ui-widget-content infoBoxContents"><tr><td><a href="' . tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action'))) . 'action=notify_remove', $request_type) . '>' . tep_image(DIR_WS_IMAGES . 'box_products_notifications_remove.gif', IMAGE_BUTTON_REMOVE_NOTIFICATIONS) . '</a></td><td><a href="' . tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action'))) . 'action=notify_remove', $request_type) . '>' . sprintf(MODULE_BOXES_PRODUCT_NOTIFICATIONS_BOX_NOTIFY_REMOVE, tep_get_products_name($HTTP_GET_VARS['products_id'])) . '</a></td></tr></table>';  
} else {  
    $notif_contents = '<table border="0" cellspacing="0" cellpadding="2" class="ui-widget-content infoBoxContents"><tr><td><a href="' . tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action'))) . 'action=notify', $request_type) . '>' . tep_image(DIR_WS_IMAGES . 'box_products_notifications.gif', IMAGE_BUTTON_NOTIFICATIONS) . '</a></td><td><a href="' . tep_href_link(basename($PHP_SELF), tep_get_all_get_params(array('action'))) . 'action=notify', $request_type) . '>' . sprintf(MODULE_BOXES_PRODUCT_NOTIFICATIONS_BOX_NOTIFY, tep_get_products_name($HTTP_GET_VARS['products_id'])) . '</a></td></tr></table>';  
}
```

to:

```

if ($notification_exists == true) {
    $notif_contents = '<table border="0" cellspacing="0" cellpadding="2" class="ui-widget-content infoBoxContents"><tr><td><a href="' . tep_href_link($PHP_SELF,
    tep_get_all_get_params(array('action'))) . 'action=notify_remove', $request_type) . '">' . tep_image(DIR_WS_IMAGES . 'box_products_notifications_remove.gif', IM
    AGE_BUTTON_REMOVE_NOTIFICATIONS) . '</a></td><td><a href="' . tep_href_link($PHP_SELF, tep_get_all_get_params(array('action'))) . 'action=notify_remove', $reque
    st_type) . '">' . sprintf(MODULE_BOXES_PRODUCT_NOTIFICATIONS_BOX_NOTIFY_REMOVE, tep_get_products_name($HTTP_GET_VARS['products_id'])) . '</a></td></tr></table>'
    ;
} else {
    $notif_contents = '<table border="0" cellspacing="0" cellpadding="2" class="ui-widget-content infoBoxContents"><tr><td><a href="' . tep_href_link($PHP_SELF,
    tep_get_all_get_params(array('action'))) . 'action=notify', $request_type) . '">' . tep_image(DIR_WS_IMAGES . 'box_products_notifications.gif', IMAGE_BUTTON_NOT
    IFICATIONS) . '</a></td><td><a href="' . tep_href_link($PHP_SELF, tep_get_all_get_params(array('action'))) . 'action=notify', $request_type) . '">' . sprintf(MO
    DULE_BOXES_PRODUCT_NOTIFICATIONS_BOX_NOTIFY, tep_get_products_name($HTTP_GET_VARS['products_id'])) . '</a></td></tr></table>';
}

```

includes/modules/product_listing.php

around line 135, change from:

```

$prod_list_contents .= '
    <td align="center">' . tep_draw_button(IMAGE_BUTTON_BUY_NOW, 'cart', tep_href_link(basename($PHP_SELF), tep_get_all_get_params(
    array('action'))) . 'action=buy_now&products_id=' . $listing['products_id'])) . '</td>';

```

to:

```

$prod_list_contents .= '
    <td align="center">' . tep_draw_button(IMAGE_BUTTON_BUY_NOW, 'cart', tep_href_link($PHP_SELF, tep_get_all_get_params(array('act
    ion'))) . 'action=buy_now&products_id=' . $listing['products_id'])) . '</td>';

```

[View online at GitHub](#)

Session Lifetime (5 files + SQL)

This changeset updates the lifetime of database based sessions to match the lifetime of file based sessions for consistent lifetime behaviour, and now relies on the PHP session garbage collection setting for automatic cleanup of old sessions. The security of sessions has also been improved by not accepting GET/POST session IDs if SESSION_FORCE_COOKIE_USE is enabled.

admin/includes/functions/sessions.php

includes/functions/sessions.php

Do not copy the admin sessions.php file to the catalog side as they differ slightly.

in those two files, around line 19, remove the following lines:

```

if (!$SESS_LIFE = get_cfg_var('session.gc_maxlifetime')) {
    $SESS_LIFE = 1440;
}

```

around line 31, change from:

```

function _sess_read($key) {
    $value_query = tep_db_query("select value from " . TABLE_SESSIONS . " where sesskey = '" . tep_db_input($key) . "' and expiry > '" . time() . "'");
    $value = tep_db_fetch_array($value_query);

    if (isset($value['value'])) {
        return $value['value'];
    }

    return '';
}

```

to:

```

function _sess_read($key) {
    $value_query = tep_db_query("select value from " . TABLE_SESSIONS . " where sesskey = '" . tep_db_input($key) . "'");
    $value = tep_db_fetch_array($value_query);

    if (isset($value['value'])) {
        return $value['value'];
    }

    return '';
}

```

around line 42, change from:

```

function _sess_write($key, $val) {
    global $SESS_LIFE;

    $expiry = time() + $SESS_LIFE;
    $value = $val;

    $check_query = tep_db_query("select count(*) as total from " . TABLE_SESSIONS . " where sesskey = '" . tep_db_input($key) . "'");
    $check = tep_db_fetch_array($check_query);

    if ($check['total'] > 0) {
        return tep_db_query("update " . TABLE_SESSIONS . " set expiry = '" . tep_db_input($expiry) . "', value = '" . tep_db_input($value) . "' where sesskey = '" . tep_db_input($key) . "'");
    } else {
        return tep_db_query("insert into " . TABLE_SESSIONS . " values ('" . tep_db_input($key) . "', '" . tep_db_input($expiry) . "', '" . tep_db_input($value) . "')");
    }
}

```

to:

```

function _sess_write($key, $value) {
    $check_query = tep_db_query("select 1 from " . TABLE_SESSIONS . " where sesskey = '" . tep_db_input($key) . "'");

    if ( tep_db_num_rows($check_query) > 0 ) {
        return tep_db_query("update " . TABLE_SESSIONS . " set expiry = '" . tep_db_input(time()) . "', value = '" . tep_db_input($value) . "' where sesskey = '" . tep_db_input($key) . "'");
    } else {
        return tep_db_query("insert into " . TABLE_SESSIONS . " values ('" . tep_db_input($key) . "', '" . tep_db_input(time()) . "', '" . tep_db_input($value) . "')");
    }
}

```

around line 62, change from:

```

function _sess_gc($maxlifetime) {
    tep_db_query("delete from " . TABLE_SESSIONS . " where expiry < '" . time() . "'");

    return true;
}

```

to:

```

function _sess_gc($maxlifetime) {
    return tep_db_query("delete from " . TABLE_SESSIONS . " where expiry < '" . (time() - $maxlifetime) . "'");
}

```

around line 71, change from:


```

function tep_session_start() {
    global $HTTP_GET_VARS, $HTTP_POST_VARS, $HTTP_COOKIE_VARS;

    $sane_session_id = true;

    if (isset($HTTP_GET_VARS[tep_session_name()])) {
        if (preg_match('/^[a-zA-Z0-9,-]+$/', $HTTP_GET_VARS[tep_session_name()]) == false) {
            unset($HTTP_GET_VARS[tep_session_name()]);

            $sane_session_id = false;
        }
    } elseif (isset($HTTP_POST_VARS[tep_session_name()])) {
        if (preg_match('/^[a-zA-Z0-9,-]+$/', $HTTP_POST_VARS[tep_session_name()]) == false) {
            unset($HTTP_POST_VARS[tep_session_name()]);

            $sane_session_id = false;
        }
    } elseif (isset($HTTP_COOKIE_VARS[tep_session_name()])) {
        if (preg_match('/^[a-zA-Z0-9,-]+$/', $HTTP_COOKIE_VARS[tep_session_name()]) == false) {
            $session_data = session_get_cookie_params();

            setcookie(tep_session_name(), '', time()-42000, $session_data['path'], $session_data['domain']);

            $sane_session_id = false;
        }
    }

    if ($sane_session_id == false) {
        tep_redirect(tep_href_link(FILENAME_DEFAULT, '', 'NONSSL', false));
    }

    register_shutdown_function('session_write_close');

    return session_start();
}

```

to:

```

function tep_session_start() {
    global $HTTP_GET_VARS, $HTTP_POST_VARS, $HTTP_COOKIE_VARS;

    $sane_session_id = true;

    if ( isset($HTTP_GET_VARS[tep_session_name()]) ) {
        if ( (SESSION_FORCE_COOKIE_USE == 'True') || (preg_match('/^[a-zA-Z0-9,-]+$/', $HTTP_GET_VARS[tep_session_name()]) == false) ) {
            unset($HTTP_GET_VARS[tep_session_name()]);

            $sane_session_id = false;
        }
    }

    if ( isset($HTTP_POST_VARS[tep_session_name()]) ) {
        if ( (SESSION_FORCE_COOKIE_USE == 'True') || (preg_match('/^[a-zA-Z0-9,-]+$/', $HTTP_POST_VARS[tep_session_name()]) == false) ) {
            unset($HTTP_POST_VARS[tep_session_name()]);

            $sane_session_id = false;
        }
    }

    if ( isset($HTTP_COOKIE_VARS[tep_session_name()]) ) {
        if ( preg_match('/^[a-zA-Z0-9,-]+$/', $HTTP_COOKIE_VARS[tep_session_name()]) == false ) {
            $session_data = session_get_cookie_params();

            setcookie(tep_session_name(), '', time()-42000, $session_data['path'], $session_data['domain']);
            unset($HTTP_COOKIE_VARS[tep_session_name()]);

            $sane_session_id = false;
        }
    }

    if ($sane_session_id == false) {
        tep_redirect(tep_href_link(FILENAME_DEFAULT, '', 'NONSSL', false));
    }

    register_shutdown_function('session_write_close');

    return session_start();
}

```

around line 161, change from:

```

function tep_session_destroy() {
    return session_destroy();
}

```

to:

```

function tep_session_destroy() {
    global $HTTP_COOKIE_VARS;

    if ( isset($HTTP_COOKIE_VARS[tep_session_name()]) ) {
        $session_data = session_get_cookie_params();

        setcookie(tep_session_name(), '', time()-42000, $session_data['path'], $session_data['domain']);
        unset($HTTP_COOKIE_VARS[tep_session_name()]);
    }

    return session_destroy();
}

```

includes/application_top.php

around line 151, change from:

```

if (isset($HTTP_POST_VARS[tep_session_name()])) {
    tep_session_id($HTTP_POST_VARS[tep_session_name()]);
} elseif ( ($request_type == 'SSL') && isset($HTTP_GET_VARS[tep_session_name()]) ) {
    tep_session_id($HTTP_GET_VARS[tep_session_name()]);
}

```

to:

```

if ( SESSION_FORCE_COOKIE_USE == 'False' ) {
    if ( isset($HTTP_GET_VARS[tep_session_name()]) && (!isset($HTTP_COOKIE_VARS[tep_session_name()]) || ($HTTP_COOKIE_VARS[tep_session_name()] != $HTTP_GET_VARS[tep_session_name()])) ) {
        tep_session_id($HTTP_GET_VARS[tep_session_name()]);
    } elseif ( isset($HTTP_POST_VARS[tep_session_name()]) && (!isset($HTTP_COOKIE_VARS[tep_session_name()]) || ($HTTP_COOKIE_VARS[tep_session_name()] != $HTTP_POST_VARS[tep_session_name()])) ) {
        tep_session_id($HTTP_POST_VARS[tep_session_name()]);
    }
}

```

login.php

around line 15, change from:

```

// redirect the customer to a friendly cookie-must-be-enabled page if cookies are disabled (or the session has not started)
if ($session_started == false) {
    tep_redirect(tep_href_link(FILENAME_COOKIE_USAGE));
}

```

to:

```

// redirect the customer to a friendly cookie-must-be-enabled page if cookies are disabled (or the session has not started)
if ($session_started == false) {
    if ( !isset($HTTP_GET_VARS['cookie_test']) ) {
        $all_get = tep_get_all_get_params();

        tep_redirect(tep_href_link(FILENAME_LOGIN, $all_get . (empty($all_get) ? '' : '&') . 'cookie_test=1', 'SSL'));
    }

    tep_redirect(tep_href_link(FILENAME_COOKIE_USAGE));
}

```

logoff.php

around line 19, change from:

```

tep_session_unregister('customer_id');
tep_session_unregister('customer_default_address_id');
tep_session_unregister('customer_first_name');
tep_session_unregister('customer_country_id');
tep_session_unregister('customer_zone_id');
tep_session_unregister('comments');

```

to:

```

tep_session_unregister('customer_id');
tep_session_unregister('customer_default_address_id');
tep_session_unregister('customer_first_name');
tep_session_unregister('customer_country_id');
tep_session_unregister('customer_zone_id');

if ( tep_session_is_registered('sendto') ) {
    tep_session_unregister('sendto');
}

if ( tep_session_is_registered('billto') ) {
    tep_session_unregister('billto');
}

if ( tep_session_is_registered('shipping') ) {
    tep_session_unregister('shipping');
}

if ( tep_session_is_registered('payment') ) {
    tep_session_unregister('payment');
}

if ( tep_session_is_registered('comments') ) {
    tep_session_unregister('comments');
}

```

Database

Perform the following SQL commands:

```

alter table sessions modify sesskey varchar(128) not null;

```

This increases the session ID column to better support session.hash_function and session.hash_bits_per_character PHP ini settings.

[View online at GitHub](#)

Block Orders With No Shipping (2 files + SQL)

This changeset allows orders to be blocked when the destination does not match any defined shipping zones and when no shipping rates are available.

■ checkout_shipping.php

around line 139, change from:

```
$shipping = false;

tep_redirect(tep_href_link(FILENAME_CHECKOUT_PAYMENT, '', 'SSL'));
```

to:

```
if ( defined('SHIPPING_ALLOW_UNDEFINED_ZONES') && (SHIPPING_ALLOW_UNDEFINED_ZONES == 'False') ) {
    tep_session_unregister('shipping');
} else {
    $shipping = false;

    tep_redirect(tep_href_link(FILENAME_CHECKOUT_PAYMENT, '', 'SSL'));
}
```

around line 156, change from:

```
require(DIR_WS_LANGUAGES . $language . '/' . FILENAME_CHECKOUT_SHIPPING);
```

to:

```
require(DIR_WS_LANGUAGES . $language . '/' . FILENAME_CHECKOUT_SHIPPING);

if ( defined('SHIPPING_ALLOW_UNDEFINED_ZONES') && (SHIPPING_ALLOW_UNDEFINED_ZONES == 'False') && !tep_session_is_registered('shipping') && ($shipping == false)
) {
    $messageStack->add_session('checkout_address', ERROR_NO_SHIPPING_AVAILABLE_TO SHIPPING_ADDRESS);

    tep_redirect(tep_href_link(FILENAME_CHECKOUT_SHIPPING_ADDRESS, '', 'SSL'));
}
```

■ includes/languages/english/checkout_shipping.php

add the following language definition:

```
define('ERROR_NO_SHIPPING_AVAILABLE_TO SHIPPING_ADDRESS', 'Shipping is currently not available for the selected shipping address. Please select or create a new shipping address to use with your purchase.');
```

■ Database

Perform the following SQL commands:

```
insert into configuration (configuration_title, configuration_key, configuration_value, configuration_description, configuration_group_id, sort_order, set_function, date_added) values ('Allow Orders Not Matching Defined Shipping Zones', 'SHIPPING_ALLOW_UNDEFINED_ZONES', 'False', 'Should orders be allowed to shipping addresses not matching defined shipping module shipping zones?', '7', '5', 'tep_cfg_select_option(array(\'True\', \'False\'), ', now());
```

This adds the following configuration parameter:

Administration Tool -> Configuration -> Shipping/Packaging -> Allow Orders Not Matching Defined Shipping Zones (*False* by default)

[View online at GitHub](#)

Product Attributes Administration (1 file)

This changeset removes a duplicate database query when administrating product attributes.

■ admin/products_attributes.php

around line 134, change from:

```
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where products_options_values_id = " . (int)$value_id . "");
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where products_options_values_id = " . (int)$value_id . "");
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES_TO_PRODUCTS_OPTIONS . " where products_options_values_id = " . (int)$value_id . "");
```

to:

```
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where products_options_values_id = " . (int)$value_id . "");
tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES_TO_PRODUCTS_OPTIONS . " where products_options_values_id = " . (int)$value_id . "");
```

[View online at GitHub](#)

Remove Free Shipping Check On Non-Related Page (1 file)

This changeset removes a free shipping check on a non-related page.

■ checkout_payment.php

around line 176, change from:

```
} elseif ($free_shipping == false) {
```

to:

```
} else {
```

[View online at GitHub](#)

Checkout Confirmation MessageStack (1 file)

This changeset allows messages added to the message stack to be shown on the checkout confirmation page.

■ checkout_confirmation.php

around line 96, change from:

```
if (isset($payment->form_action_url)) {  
    $form_action_url = $payment->form_action_url;  
} else {  
    $form_action_url = tep_href_link(FILENAME_CHECKOUT_PROCESS, '', 'SSL');  
}
```

to:

```
if ($messageStack->size('checkout_confirmation') > 0) {  
    echo $messageStack->output('checkout_confirmation');  
}  
  
if (isset($payment->form_action_url)) {  
    $form_action_url = $payment->form_action_url;  
} else {  
    $form_action_url = tep_href_link(FILENAME_CHECKOUT_PROCESS, '', 'SSL');  
}
```

[View online at GitHub](#)

CA Public Certificate Bundle (1 file)

This changeset adds the CA public certificate bundle which curl can use to verify secure connections.

Copy the following file to its respective directory:

■ includes/cacert.pem

[View online at GitHub](#)

Modules Administration (1 file)

This changeset prevents duplicate module parameters being installed when installed module files were deleted without uninstalling them prior and copying the files back at a later date to install again.

■ admin/modules.php

around line 48, change from:

```
if ($action == 'install') {  
    $module->install();  
  
    $modules_installed = explode(';', constant($module_key));  
    $modules_installed[] = $class . $file_extension;  
  
    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = " . implode(';', $modules_installed) . " where configuration_key = " . $module_key . " ");  
    tep_redirect(tep_href_link(FILENAME_MODULES, 'set=' . $set . '&module=' . $class));  
} elseif ($action == 'remove') {  
    $module->remove();  
  
    $modules_installed = explode(';', constant($module_key));  
    unset($modules_installed[array_search($class . $file_extension, $modules_installed)]);  
  
    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = " . implode(';', $modules_installed) . " where configuration_key = " . $module_key . " ");  
    tep_redirect(tep_href_link(FILENAME_MODULES, 'set=' . $set));  
}
```

to:

```

if ($action == 'install') {
    if ($module->check() > 0) { // remove module if already installed
        $module->remove();
    }

    $module->install();

    $modules_installed = explode(';', constant($module_key));

    if (!in_array($class . $file_extension, $modules_installed)) {
        $modules_installed[] = $class . $file_extension;
    }

    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '" . implode(';', $modules_installed) . "' where configuration_key = '" . $module_
key . "'");
    tep_redirect(tep_href_link(FILENAME_MODULES, 'set=' . $set . '&module=' . $class));
} elseif ($action == 'remove') {
    $module->remove();

    $modules_installed = explode(';', constant($module_key));

    if (in_array($class . $file_extension, $modules_installed)) {
        unset($modules_installed[array_search($class . $file_extension, $modules_installed)]);
    }

    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '" . implode(';', $modules_installed) . "' where configuration_key = '" . $module_
key . "'");
    tep_redirect(tep_href_link(FILENAME_MODULES, 'set=' . $set));
}

```

around line 181, change from:

```
<td class="dataTableContent" align="right"><?php if (is_numeric($module->sort_order)) echo $module->sort_order; ?></td>
```

to:

```
<td class="dataTableContent" align="right"><?php if (in_array($module->code . $file_extension, $modules_installed) && is_numeric($module->sort_order)) echo $mo
dule->sort_order; ?></td>
```

around line 249, change from:

```
if ($mInfo->status == '1') {
```

to:

```
if (in_array($mInfo->code . $file_extension, $modules_installed) && ($mInfo->status > 0)) {
```

[View online at GitHub](#)

HTTPS Administration Tool (22 files + Config)

This changeset forces HTTPS for the Administration Tool if SSL has been enabled.

This changeset also introduces additional configuration parameters that must be added to the admin/includes/configure.php file.

admin/includes/configure.php

add the following configuration parameters with your store values:

```

define('HTTPS_SERVER', '');
define('ENABLE_SSL', false);
define('HTTP_COOKIE_DOMAIN', '');
define('HTTPS_COOKIE_DOMAIN', '');
define('HTTP_COOKIE_PATH', '');
define('HTTPS_COOKIE_PATH', '');

define('DIR_WS_HTTPS_ADMIN', '/catalog/admin/');

```

Please reference your catalog configuration file at *includes/configure.php* to form the admin equivalent values.

Configuration Parameter	Description	Example
HTTPS_SERVER	The HTTPS equivalent of HTTP_SERVER.	<i>https://ssl.oscommerce.com</i>
ENABLE_SSL	Set to <i>true</i> to enable HTTPS in the Administration Tool.	<i>true</i>
HTTP_COOKIE_DOMAIN	Limit cookies to this domain - can be left empty.	

Configuration Parameter	Description	Example
HTTPS_COOKIE_DOMAIN	Limit cookies to this domain - can be left empty.	
HTTP_COOKIE_PATH	Limit cookies to this path - based on DIR_WS_ADMIN.	/catalog/admin/
HTTPS_COOKIE_PATH	Limit cookies to this domain - based on DIR_WS_HTTPS_ADMIN.	/catalog/admin/
DIR_WS_HTTPS_ADMIN	The HTTPS equivalent of DIR_WS_ADMIN.	/catalog/admin/

admin/cache.php

around line 87, change from:

```
<td class="dataTableContent" align="right"><?php echo ' <a href="' . tep_href_link(FILENAME_CACHE, 'action=reset&block=' . $cache_blocks[$i]['code'], 'NONSSL') . '">' . tep_image(DIR_WS_IMAGES . 'icon_reset.gif', 'Reset', 13, 13) . '</a>'; ?>&nbsp;</td>
```

to:

```
<td class="dataTableContent" align="right"><?php echo ' <a href="' . tep_href_link(FILENAME_CACHE, 'action=reset&block=' . $cache_blocks[$i]['code']) . '">' . tep_image(DIR_WS_IMAGES . 'icon_reset.gif', 'Reset', 13, 13) . '</a>'; ?>&nbsp;</td>
```

admin/categories.php

around line 595, change from:

```
<div><?php echo ' <strong>' . TEXT_PRODUCTS_MAIN_IMAGE . ' <small>(' . SMALL_IMAGE_WIDTH . ' x ' . SMALL_IMAGE_HEIGHT . 'px)</small></strong><br />' . (tep_not_null($pInfo->products_image) ? ' <a href="' . DIR_WS_CATALOG_IMAGES . $pInfo->products_image . '" target="_blank">' . $pInfo->products_image . '</a> &#124; ' : '') . tep_draw_file_field('products_image'); ?></div>
```

to:

```
<div><?php echo ' <strong>' . TEXT_PRODUCTS_MAIN_IMAGE . ' <small>(' . SMALL_IMAGE_WIDTH . ' x ' . SMALL_IMAGE_HEIGHT . 'px)</small></strong><br />' . (tep_not_null($pInfo->products_image) ? ' <a href="' . HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . $pInfo->products_image . '" target="_blank">' . $pInfo->products_image . '</a> &#124; ' : '') . tep_draw_file_field('products_image'); ?></div>
```

around line 604, change from:

```
echo ' <li id="piId" . $pi_counter . ' class="ui-state-default"><span class="ui-icon ui-icon-arrowthick-2-n-s" style="float: right;"></span><a href="#" onclick="showPiDelConfirm(' . $pi_counter . ');return false;" class="ui-icon ui-icon-trash" style="float: right;"></a><strong>' . TEXT_PRODUCTS_LARGE_IMAGE . '</strong><br />' . tep_draw_file_field('products_image_large_' . $pi['id']) . '<br /><a href="' . DIR_WS_CATALOG_IMAGES . $pi['image'] . '" target="_blank">' . $pi['image'] . '</a><br /><br />' . TEXT_PRODUCTS_LARGE_IMAGE_HTML_CONTENT . '<br />' . tep_draw_textarea_field('products_image_htmlcontent_' . $pi['id'], 'soft', '70', '3', $pi['htmlcontent']) . '</li>';
```

to:

```
echo ' <li id="piId" . $pi_counter . ' class="ui-state-default"><span class="ui-icon ui-icon-arrowthick-2-n-s" style="float: right;"></span><a href="#" onclick="showPiDelConfirm(' . $pi_counter . ');return false;" class="ui-icon ui-icon-trash" style="float: right;"></a><strong>' . TEXT_PRODUCTS_LARGE_IMAGE . '</strong><br />' . tep_draw_file_field('products_image_large_' . $pi['id']) . '<br /><a href="' . HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . $pi['image'] . '" target="_blank">' . $pi['image'] . '</a><br /><br />' . TEXT_PRODUCTS_LARGE_IMAGE_HTML_CONTENT . '<br />' . tep_draw_textarea_field('products_image_htmlcontent_' . $pi['id'], 'soft', '70', '3', $pi['htmlcontent']) . '</li>';
```

around line 724, change from:

```
<td class="main"><?php echo tep_image(DIR_WS_CATALOG_IMAGES . $products_image_name, $pInfo->products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5"') . $pInfo->products_description; ?></td>
```

to:

```
<td class="main"><?php echo tep_image(HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . $products_image_name, $pInfo->products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5"') . $pInfo->products_description; ?></td>
```

around line 777, change from:

```
<td align="right" class="smallText"><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link($back_url, $back_url_params, 'NONSSL')); ?></td>
```

to:

```
<td align="right" class="smallText"><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link($back_url, $back_url_params)); ?></td>
```

around line 956, change from:

```
$contents[] = array('text' => '<br />' . tep_image(DIR_WS_CATALOG_IMAGES . $cInfo->categories_image, $cInfo->categories_name) . '<br />' . DIR_WS_CATALOG_IMAGES . '<br /><strong>' . $cInfo->categories_image . '</strong>');
```

to:

```
$contents[] = array('text' => '<br />' . tep_image(HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . $cInfo->categories_image, $cInfo->categories_name) . '<br />' . DIR_WS_CATALOG_IMAGES . '<br /><strong>' . $cInfo->categories_image . '</strong>');
```

admin/includes/application_top.php

around line 37, change from:

```
// set php_self in the local scope
$req = parse_url($HTTP_SERVER_VARS['SCRIPT_NAME']);
$PHP_SELF = substr($req['path'], strlen(DIR_WS_ADMIN));
```

to:

```
// set the type of request (secure or not)
$request_type = (getenv('HTTPS') == 'on') ? 'SSL' : 'NONSSL';

// set php_self in the local scope
$req = parse_url($HTTP_SERVER_VARS['SCRIPT_NAME']);
$PHP_SELF = substr($req['path'], ($request_type == 'SSL') ? strlen(DIR_WS_HTTPS_ADMIN) : strlen(DIR_WS_ADMIN));
```

around line 83, change from:

```
// set the session name and save path
tep_session_name('osCAdminID');
tep_session_save_path(SESSION_WRITE_DIRECTORY);
```

to:

```
// set the cookie domain
$cookie_domain = (($request_type == 'NONSSL') ? HTTP_COOKIE_DOMAIN : HTTPS_COOKIE_DOMAIN);
$cookie_path = (($request_type == 'NONSSL') ? HTTP_COOKIE_PATH : HTTPS_COOKIE_PATH);

// set the session name and save path
tep_session_name('osCAdminID');
tep_session_save_path(SESSION_WRITE_DIRECTORY);
```

around line 89, change from:

```
session_set_cookie_params(0, DIR_WS_ADMIN);
```

to:

```
session_set_cookie_params(0, $cookie_path, $cookie_domain);
```

around line 92, change from:

```
ini_set('session.cookie_path', DIR_WS_ADMIN);
```

to:

```
ini_set('session.cookie_path', $cookie_path);
ini_set('session.cookie_domain', $cookie_domain);
```

admin/includes/classes/split_page_results.php

around line 58, change from:

```
$display_links .= '<a href="' . tep_href_link($PHP_SELF, $parameters . $page_name . '=' . ($current_page_number - 1), 'NONSSL') . '" class="splitPageLink">' .
PREVNEXT_BUTTON_PREV . '</a>&nbsp;&nbsp;&nbsp;';
```

to:

```
$display_links .= '<a href="' . tep_href_link($PHP_SELF, $parameters . $page_name . '=' . ($current_page_number - 1)) . '" class="splitPageLink">' . PREVNEXT_B
UTTON_PREV . '</a>&nbsp;&nbsp;&nbsp;';
```

around line 66, change from:

```
$display_links .= '&nbsp;&nbsp;&nbsp;<a href="' . tep_href_link($PHP_SELF, $parameters . $page_name . '=' . ($current_page_number + 1), 'NONSSL') . '" class="splitPa
geLink">' . PREVNEXT_BUTTON_NEXT . '</a>';
```

to:

```
$display_links .= '&nbsp;&nbsp;&nbsp;<a href="' . tep_href_link($PHP_SELF, $parameters . $page_name . '=' . ($current_page_number + 1)) . '" class="splitPageLink">'
. PREVNEXT_BUTTON_NEXT . '</a>';
```

admin/includes/functions/general.php

around line 27, change from:


```

function tep_redirect($url) {
    global $logger;

    if ( ( strstr($url, "\n") != false ) || ( strstr($url, "\r") != false ) ) {
        tep_redirect(tep_href_link(FILENAME_DEFAULT, '', 'NONSSL', false));
    }

    if ( strpos($url, '&') !== false ) {
        $url = str_replace('&', '&', $url);
    }

    header('Location: ' . $url);

    if (STORE_PAGE_PARSE_TIME == 'true') {
        if (!is_object($logger)) $logger = new logger;
        $logger->timer_stop();
    }

    exit;
}

```

to:

```

function tep_redirect($url) {
    global $logger;

    if ( ( strstr($url, "\n") != false ) || ( strstr($url, "\r") != false ) ) {
        tep_redirect(tep_href_link(FILENAME_DEFAULT, '', 'SSL', false));
    }

    if ( strpos($url, '&') !== false ) {
        $url = str_replace('&', '&', $url);
    }

    header('Location: ' . $url);

    if (STORE_PAGE_PARSE_TIME == 'true') {
        if (!is_object($logger)) $logger = new logger;
        $logger->timer_stop();
    }

    exit;
}

```

around line 270, change from:

```

function tep_info_image($image, $alt, $width = '', $height = '') {
    if (tep_not_null($image) && (file_exists(DIR_FS_CATALOG_IMAGES . $image))) {
        $image = tep_image(DIR_WS_CATALOG_IMAGES . $image, $alt, $width, $height);
    } else {
        $image = TEXT_IMAGE_NONEXISTENT;
    }

    return $image;
}

```

to:

```

function tep_info_image($image, $alt, $width = '', $height = '') {
    if (tep_not_null($image) && (file_exists(DIR_FS_CATALOG_IMAGES . $image))) {
        $image = tep_image(HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . $image, $alt, $width, $height);
    } else {
        $image = TEXT_IMAGE_NONEXISTENT;
    }

    return $image;
}

```

■ **admin/includes/functions/html_output.php**

around line 15, change from:

```

function tep_href_link($page = '', $parameters = '', $connection = 'NONSSL') {
    $page = tep_output_string($page);

    if ($page == '') {
        die('</td></tr></table></td></tr></table><br /><br /><font color="#ff0000"><strong>Error!</strong></font><br /><br /><strong>Unable to determine the page link!<br /><br />Function used:<br /><br />tep_href_link(\'\' . $page . \'\', \'\' . $parameters . \'\', \'\' . $connection . \'')</strong>');
    }
    if ($connection == 'NONSSL') {
        $link = HTTP_SERVER . DIR_WS_ADMIN;
    } elseif ($connection == 'SSL') {
        if (ENABLE_SSL_CATALOG == 'true') {
            $link = HTTPS_SERVER . DIR_WS_ADMIN;
        } else {
            $link = HTTP_SERVER . DIR_WS_ADMIN;
        }
    } else {
        die('</td></tr></table></td></tr></table><br /><br /><font color="#ff0000"><strong>Error!</strong></font><br /><br /><strong>Unable to determine connection method on a link!<br /><br />Known methods: NONSSL SSL<br /><br />Function used:<br /><br />tep_href_link(\'\' . $page . \'\', \'\' . $parameters . \'\', \'\' . $connection . \'')</strong>');
    }
    if ($parameters == '') {
        $link = $link . $page . '?' . SID;
    } else {
        $link = $link . $page . '?' . tep_output_string($parameters) . '&' . SID;
    }

    while ( (substr($link, -1) == '&') || (substr($link, -1) == '?') ) $link = substr($link, 0, -1);

    return $link;
}

```

to:

```

function tep_href_link($page = '', $parameters = '', $connection = 'SSL', $add_session_id = true) {
    global $request_type;

    $page = tep_output_string($page);

    if ($page == '') {
        die('</td></tr></table></td></tr></table><br /><br /><font color="#ff0000"><strong>Error!</strong></font><br /><br /><strong>Unable to determine the page 1
ink!<br /><br />Function used:<br /><br />tep_href_link(\'\' . $page . \'\' . $parameters . \'\' . $connection . \'\'</strong>\');
    }

    if ($connection == 'NONSSL') {
        $link = HTTP_SERVER . DIR_WS_ADMIN;
    } elseif ($connection == 'SSL') {
        if (ENABLE_SSL == true) {
            $link = HTTPS_SERVER . DIR_WS_HTTPS_ADMIN;
        } else {
            $link = HTTP_SERVER . DIR_WS_ADMIN;
        }
    } else {
        die('</td></tr></table></td></tr></table><br /><br /><font color="#ff0000"><strong>Error!</strong></font><br /><br /><strong>Unable to determine connection
method on a link!<br /><br />Known methods: NONSSL SSL<br /><br />Function used:<br /><br />tep_href_link(\'\' . $page . \'\' . $parameters . \'\' . $c
onnection . \'\'</strong>\');
    }

    if (tep_not_null($parameters)) {
        $link .= $page . '?' . tep_output_string($parameters);
        $separator = '&';
    } else {
        $link .= $page;
        $separator = '?';
    }

    while ( (substr($link, -1) == '&') || (substr($link, -1) == '?') ) $link = substr($link, 0, -1);

    // Add the session ID when moving from different HTTP and HTTPS servers, or when SID is defined
    if ( ($add_session_id == true) && (SESSION_FORCE_COOKIE_USE == 'False') ) {
        if (tep_not_null($SID)) {
            $_sid = $SID;
        } elseif ( ( ($request_type == 'NONSSL') && ($connection == 'SSL') && (ENABLE_SSL == true) ) || ( ($request_type == 'SSL') && ($connection == 'NONSSL') ) )
        {
            if (HTTP_COOKIE_DOMAIN != HTTPS_COOKIE_DOMAIN) {
                $_sid = tep_session_name() . '=' . tep_session_id();
            }
        }
    }

    if (isset($_sid)) {
        $link .= $separator . tep_output_string($_sid);
    }

    while (strstr($link, '&&')) $link = str_replace('&&', '&', $link);

    return $link;
}

```

admin/includes/functions/sessions.php

around line 91, change from:

```

if ($sane_session_id == false) {
    tep_redirect(tep_href_link(FILENAME_DEFAULT, '', 'NONSSL', false));
}

register_shutdown_function('session_write_close');

```

to:

```

if ($sane_session_id == false) {
    tep_redirect(tep_href_link(FILENAME_DEFAULT, '', 'SSL', false));
}

register_shutdown_function('session_write_close');

```

admin/includes/header.php

around line 20, change from:

```
<td colspan="2"><?php echo ' <a href="' . tep_href_link(FILENAME_DEFAULT, '', 'NONSSL') . '">' . tep_image(DIR_WS_IMAGES . 'oscommerce.png', 'osCommerce Online Merchant v' . tep_get_version()) . '</a>'; ?></td>
```

to:

```
<td colspan="2"><?php echo ' <a href="' . tep_href_link(FILENAME_DEFAULT) . '">' . tep_image(DIR_WS_IMAGES . 'oscommerce.png', 'osCommerce Online Merchant v' . tep_get_version()) . '</a>'; ?></td>
```

around line 23, change from:

```
<td class="headerBarContent">&nbsp;&nbsp;&nbsp;<?php echo ' <a href="' . tep_href_link(FILENAME_DEFAULT, '', 'NONSSL') . '" class="headerLink">' . HEADER_TITLE_ADMINISTRATION . '</a> &nbsp;&nbsp;&nbsp;|&nbsp;&nbsp;&nbsp;<a href="' . tep_catalog_href_link() . '" class="headerLink">' . HEADER_TITLE_ONLINE_CATALOG . '</a> &nbsp;&nbsp;&nbsp;|&nbsp;&nbsp;&nbsp;<a href="http://www.oscommerce.com" class="headerLink">' . HEADER_TITLE_SUPPORT_SITE . '</a>'; ?></td>
```

to:

```
<td class="headerBarContent">&nbsp;&nbsp;&nbsp;<?php echo ' <a href="' . tep_href_link(FILENAME_DEFAULT) . '" class="headerLink">' . HEADER_TITLE_ADMINISTRATION . '</a> &nbsp;&nbsp;&nbsp;|&nbsp;&nbsp;&nbsp;<a href="' . tep_catalog_href_link() . '" class="headerLink">' . HEADER_TITLE_ONLINE_CATALOG . '</a> &nbsp;&nbsp;&nbsp;|&nbsp;&nbsp;&nbsp;<a href="http://www.oscommerce.com" class="headerLink">' . HEADER_TITLE_SUPPORT_SITE . '</a>'; ?></td>
```

admin/includes/modules/security_check/extended/admin_backup_directory_listing.php

around line 26, change from:

```
$request = $this->getHttpRequest(tep_href_link('backups/', '', 'NONSSL'));
```

to:

```
$request = $this->getHttpRequest(tep_href_link('backups/'));
```

admin/includes/modules/security_check/extended/admin_backup_file.php

around line 57, change from:

```
$request = $this->getHttpRequest(tep_href_link('backups/' . $backup_file, '', 'NONSSL'));
```

to:

```
$request = $this->getHttpRequest(tep_href_link('backups/' . $backup_file));
```

admin/includes/modules/security_check/extended/ext_directory_listing.php

around line 26, change from:

```
$request = $this->getHttpRequest(tep_catalog_href_link('ext/', '', 'NONSSL'));
```

to:

```
$request = $this->getHttpRequest(tep_catalog_href_link('ext/'));
```

admin/includes/template_top.php

around line 19, change from:

```
<base href="<?php echo HTTP_SERVER . DIR_WS_ADMIN; ?>" />
<!--[if IE]><script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/excanvas.min.js'); ?>"></script><![endif]-->
<link rel="stylesheet" type="text/css" href="<?php echo tep_catalog_href_link('ext/jquery/ui/redmond/jquery-ui-1.10.4.min.css'); ?>">
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/jquery-1.11.1.min.js'); ?>"></script>
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/ui/jquery-ui-1.10.4.min.js'); ?>"></script>
```

to:

```
<base href="<?php echo ($request_type == 'SSL') ? HTTPS_SERVER . DIR_WS_HTTPS_ADMIN : HTTP_SERVER . DIR_WS_ADMIN; ?>" />
<!--[if IE]><script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/excanvas.min.js', '', 'SSL'); ?>"></script><![endif]-->
<link rel="stylesheet" type="text/css" href="<?php echo tep_catalog_href_link('ext/jquery/ui/redmond/jquery-ui-1.10.4.min.css', '', 'SSL'); ?>">
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/jquery-1.11.1.min.js', '', 'SSL'); ?>"></script>
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/ui/jquery-ui-1.10.4.min.js', '', 'SSL'); ?>"></script>
```

around line 28, change from:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/ui/i18n/jquery.ui.datepicker-' . JQUERY_DATEPICKER_I18N_CODE . '.js'); ?>"></script>
```

to:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/jquery/ui/i18n/jquery.ui.datepicker-' . JQUERY_DATEPICKER_I18N_CODE . '.js', '', 'SSL'); ?>"></script>
```

around line 36, change from:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/jquery.flot.min.js'); ?>"></script>
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/jquery.flot.time.min.js'); ?>"></script>
```

to:

```
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/jquery.flot.min.js', '', 'SSL'); ?>"></script>
<script type="text/javascript" src="<?php echo tep_catalog_href_link('ext/flot/jquery.flot.time.min.js', '', 'SSL'); ?>"></script>
```

admin/invoice.php

around line 39, change from:

```
<td class="pageHeading" align="right"><?php echo tep_image(DIR_WS_CATALOG_IMAGES . 'store_logo.png', STORE_NAME); ?></td>
```

to:

```
<td class="pageHeading" align="right"><?php echo tep_image(HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . 'store_logo.png', STORE_NAME); ?></td>
```

admin/packingslip.php

around line 38, change from:

```
<td class="pageHeading" align="right"><?php echo tep_image(DIR_WS_CATALOG_IMAGES . 'store_logo.png', STORE_NAME); ?></td>
```

to:

```
<td class="pageHeading" align="right"><?php echo tep_image(HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . 'store_logo.png', STORE_NAME); ?></td>
```

admin/products_attributes.php

around line 207, change from:

```
<td align="right" colspan="3" class="smallText"><br /><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="right" colspan="3" class="smallText"><br /><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info)); ?>&nbsp;</td>
```

around line 216, change from:

```
<td class="smallText" align="right" colspan="3"><br /><?php echo tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=delete_option&option_id=' . $HTTP_GET_VARS['option_id'] . '&' . $page_info, 'NONSSL'), 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td class="smallText" align="right" colspan="3"><br /><?php echo tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=delete_option&option_id=' . $HTTP_GET_VARS['option_id'] . '&' . $page_info, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info)); ?>&nbsp;</td>
```

around line 260, change from:

```
echo '<form name="option" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_option_name&' . $page_info, 'NONSSL') . '" method="post">';
```

to:

```
echo '<form name="option" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_option_name&' . $page_info) . '" method="post">';
```

around line 270, change from:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_SAVE, 'disk', null, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_SAVE, 'disk', null, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info)); ?>&nbsp;</td>
```

around line 277, change from:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_EDIT, 'document', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_option&option_id=' . $options_values['products_options_id'] . '&' . $page_info, 'NONSSL')) . tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=delete_product_option&option_id=' . $options_values['products_options_id'] . '&' . $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_EDIT, 'document', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_option
&option_id=' . $options_values['products_options_id'] . '&' . $page_info)) . tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES,
'action=delete_product_option&option_id=' . $options_values['products_options_id'] . '&' . $page_info)); ?>&nbsp;</td>
```

around line 296, change from:

```
echo '<form name="options" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=add_product_options&' . $page_info, 'NONSSL') . "" method="post"><in
put type="hidden" name="products_options_id" value="" . $next_id . "">';
```

to:

```
echo '<form name="options" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=add_product_options&' . $page_info) . "" method="post"><input type="
hidden" name="products_options_id" value="" . $next_id . "">';
```

around line 364, change from:

```
<td class="smallText" align="right" colspan="3"><br /><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_
info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td class="smallText" align="right" colspan="3"><br /><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_
info)); ?>&nbsp;</td>
```

around line 373, change from:

```
<td class="smallText" align="right" colspan="3"><br /><?php echo tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=del
ete_value&value_id=' . $HTTP_GET_VARS['value_id'] . '&' . $page_info, 'NONSSL'), 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRO
DUCTS_ATTRIBUTES, $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td class="smallText" align="right" colspan="3"><br /><?php echo tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=del
ete_value&value_id=' . $HTTP_GET_VARS['value_id'] . '&' . $page_info, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTR
IBUTES, $page_info)); ?>&nbsp;</td>
```

around line 420, change from:

```
echo '<form name="values" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_value&' . $page_info, 'NONSSL') . "" method="post">';
```

to:

```
echo '<form name="values" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_value&' . $page_info) . "" method="post">';
```

around line 442, change from:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_SAVE, 'disk', null, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_li
nk(FILENAME_PRODUCTS_ATTRIBUTES, $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_SAVE, 'disk', null, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_li
nk(FILENAME_PRODUCTS_ATTRIBUTES, $page_info)); ?>&nbsp;</td>
```

around line 450, change from:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_EDIT, 'document', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_option
_value&value_id=' . $values_values['products_options_values_id'] . '&' . $page_info, 'NONSSL')) . tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME
_PRODUCTS_ATTRIBUTES, 'action=delete_option_value&value_id=' . $values_values['products_options_values_id'] . '&' . $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_EDIT, 'document', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_option
_value&value_id=' . $values_values['products_options_values_id'] . '&' . $page_info)) . tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_
ATTRIBUTES, 'action=delete_option_value&value_id=' . $values_values['products_options_values_id'] . '&' . $page_info)); ?>&nbsp;</td>
```

around line 467, change from:

```
echo '<form name="values" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=add_product_option_values&' . $page_info, 'NONSSL') . "" method="post
">';
```

to:

```
echo '<form name="values" action="" . tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=add_product_option_values&' . $page_info) . "" method="post">';
```

around line 600, change from:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_SAVE, 'disk', null, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_SAVE, 'disk', null, 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info)); ?>&nbsp;</td>
```

around line 643, change from:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=delete_attribute&attribute_id=' . $HTTP_GET_VARS['attribute_id'] . '&' . $page_info), 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=delete_attribute&attribute_id=' . $HTTP_GET_VARS['attribute_id'] . '&' . $page_info), 'primary') . tep_draw_button(IMAGE_CANCEL, 'close', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, $page_info)); ?>&nbsp;</td>
```

around line 653, change from:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_EDIT, 'document', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_attribute&attribute_id=' . $attributes_values['products_attributes_id'] . '&' . $page_info, 'NONSSL')) . tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=delete_product_attribute&attribute_id=' . $attributes_values['products_attributes_id'] . '&' . $page_info, 'NONSSL')); ?>&nbsp;</td>
```

to:

```
<td align="center" class="smallText">&nbsp;<?php echo tep_draw_button(IMAGE_EDIT, 'document', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=update_attribute&attribute_id=' . $attributes_values['products_attributes_id'] . '&' . $page_info)) . tep_draw_button(IMAGE_DELETE, 'trash', tep_href_link(FILENAME_PRODUCTS_ATTRIBUTES, 'action=delete_product_attribute&attribute_id=' . $attributes_values['products_attributes_id'] . '&' . $page_info)); ?>&nbsp;</td>
```

admin/reviews.php

around line 161, change from:

```
<td class="main"><strong><?php echo ENTRY_RATING; ?></strong>&nbsp;<?php echo tep_image(DIR_WS_CATALOG_IMAGES . 'stars_' . $rInfo->reviews_rating . '.gif', sprintf(TEXT_OF_5_STARS, $rInfo->reviews_rating)); ?>&nbsp;<small><?php echo sprintf(TEXT_OF_5_STARS, $rInfo->reviews_rating); ?></small></td>
```

to:

```
<td class="main"><strong><?php echo ENTRY_RATING; ?></strong>&nbsp;<?php echo tep_image(HTTP_CATALOG_SERVER . DIR_WS_CATALOG_IMAGES . 'stars_' . $rInfo->reviews_rating . '.gif', sprintf(TEXT_OF_5_STARS, $rInfo->reviews_rating)); ?>&nbsp;<small><?php echo sprintf(TEXT_OF_5_STARS, $rInfo->reviews_rating); ?></small></td>
```

around line 186, change from:

```
<td align="right" class="smallText"><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link($back_url, $back_url_params, 'NONSSL')); ?></td>
```

to:

```
<td align="right" class="smallText"><?php echo tep_draw_button(IMAGE_BACK, 'triangle-1-w', tep_href_link($back_url, $back_url_params)); ?></td>
```

admin/specials.php

around line 25, change from:

```
tep_redirect(tep_href_link(FILENAME_SPECIALS, (isset($HTTP_GET_VARS['page']) ? 'page=' . $HTTP_GET_VARS['page'] . '&' : '') . 'sID=' . $HTTP_GET_VARS['id'], 'NONSSL'));
```

to:

```
tep_redirect(tep_href_link(FILENAME_SPECIALS, (isset($HTTP_GET_VARS['page']) ? 'page=' . $HTTP_GET_VARS['page'] . '&' : '') . 'sID=' . $HTTP_GET_VARS['id']));
```

around line 111, change from:

```
<tr><form name="new_special" action=""><?php echo tep_href_link(FILENAME_SPECIALS, tep_get_all_get_params(array('action', 'info', 'sID')) . 'action=' . $form_action, 'NONSSL'); ?> method="post"><?php if ($form_action == 'update') echo tep_draw_hidden_field('specials_id', $HTTP_GET_VARS['sID']); ?>
```

to:

```
<tr><form name="new_special" action=""><?php echo tep_href_link(FILENAME_SPECIALS, tep_get_all_get_params(array('action', 'info', 'sID')) . 'action=' . $form_action); ?> method="post"><?php if ($form_action == 'update') echo tep_draw_hidden_field('specials_id', $HTTP_GET_VARS['sID']); ?>
```

around line 179, change from:

```
echo tep_image(DIR_WS_IMAGES . 'icon_status_green.gif', IMAGE_ICON_STATUS_GREEN, 10, 10) . '&nbsp;&nbsp;&nbsp;<a href="" . tep_href_link(FILENAME_SPECIALS, 'action=
etflag&flag=0&id=' . $specials['specials_id'], 'NONSSL') . '>' . tep_image(DIR_WS_IMAGES . 'icon_status_red_light.gif', IMAGE_ICON_STATUS_RED_LIGHT, 10, 10) .
'</a>';
```

to:

```
echo tep_image(DIR_WS_IMAGES . 'icon_status_green.gif', IMAGE_ICON_STATUS_GREEN, 10, 10) . '&nbsp;&nbsp;&nbsp;<a href="" . tep_href_link(FILENAME_SPECIALS, 'action=
etflag&flag=0&id=' . $specials['specials_id']) . '>' . tep_image(DIR_WS_IMAGES . 'icon_status_red_light.gif', IMAGE_ICON_STATUS_RED_LIGHT, 10, 10) . '</a>';
```

around line 181, change from:

```
echo '<a href="" . tep_href_link(FILENAME_SPECIALS, 'action=setflag&flag=1&id=' . $specials['specials_id'], 'NONSSL') . '>' . tep_image(DIR_WS_IMAGES . 'icon_
status_green_light.gif', IMAGE_ICON_STATUS_GREEN_LIGHT, 10, 10) . '</a>&nbsp;&nbsp;&nbsp;' . tep_image(DIR_WS_IMAGES . 'icon_status_red.gif', IMAGE_ICON_STATUS_RED,
10, 10);
```

to:

```
echo '<a href="" . tep_href_link(FILENAME_SPECIALS, 'action=setflag&flag=1&id=' . $specials['specials_id']) . '>' . tep_image(DIR_WS_IMAGES . 'icon_status_gre
en_light.gif', IMAGE_ICON_STATUS_GREEN_LIGHT, 10, 10) . '</a>&nbsp;&nbsp;&nbsp;' . tep_image(DIR_WS_IMAGES . 'icon_status_red.gif', IMAGE_ICON_STATUS_RED, 10, 10);
```

admin/stats_customers.php

around line 56, change from:

```
<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='<?php echo tep_href_link(FILENAME_C
USTOMERS, 'search=' . $customers['customers_lastname'], 'NONSSL'); ?>'">
```

to:

```
<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='<?php echo tep_href_link(FILENAME_C
USTOMERS, 'search=' . $customers['customers_lastname']); ?>'">
```

around line 58, change from:

```
<td class="dataTableContent"><?php echo '<a href="" . tep_href_link(FILENAME_CUSTOMERS, 'search=' . $customers['customers_lastname'], 'NONSSL') . '>' . $custo
mers['customers_firstname'] . ' ' . $customers['customers_lastname'] . '</a>'; ?></td>
```

to:

```
<td class="dataTableContent"><?php echo '<a href="" . tep_href_link(FILENAME_CUSTOMERS, 'search=' . $customers['customers_lastname']) . '>' . $customers['cust
omers_firstname'] . ' ' . $customers['customers_lastname'] . '</a>'; ?></td>
```

admin/stats_products_purchased.php

around line 50, change from:

```
<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='<?php echo tep_href_link(FILENAME_C
ATEGORIES, 'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' . FILENAME_STATS_PRODUCTS_PURCHASED . '?page=' . $HTTP_GET_VARS[
'page'], 'NONSSL'); ?>'">
```

to:

```
<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='<?php echo tep_href_link(FILENAME_C
ATEGORIES, 'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' . FILENAME_STATS_PRODUCTS_PURCHASED . '?page=' . $HTTP_GET_VARS[
'page']); ?>'">
```

around line 52, change from:

```
<td class="dataTableContent"><?php echo '<a href="" . tep_href_link(FILENAME_CATEGORIES, 'action=new_product_preview&read=only&pID=' . $products['products_id']
. '&origin=' . FILENAME_STATS_PRODUCTS_PURCHASED . '?page=' . $HTTP_GET_VARS['page'], 'NONSSL') . '>' . $products['products_name'] . '</a>'; ?></td>
```

to:

```
<td class="dataTableContent"><?php echo '<a href="" . tep_href_link(FILENAME_CATEGORIES, 'action=new_product_preview&read=only&pID=' . $products['products_id']
. '&origin=' . FILENAME_STATS_PRODUCTS_PURCHASED . '?page=' . $HTTP_GET_VARS['page']) . '>' . $products['products_name'] . '</a>'; ?></td>
```

admin/stats_products_viewed.php

around line 49, change from:

```
<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='<?php echo tep_href_link(FILENAME_C
ATEGORIES, 'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' . FILENAME_STATS_PRODUCTS_VIEWED . '?page=' . $HTTP_GET_VARS['pa
ge'], 'NONSSL'); ?>'">
```

to:

```
<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='<?php echo tep_href_link(FILENAME_C
ATEGORIES, 'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' . FILENAME_STATS_PRODUCTS_VIEWED . '?page=' . $HTTP_GET_VARS['pa
ge']); ?>'">
```


around line 51, change from:

```
<td class="dataTableContent"><?php echo '<a href="' . tep_href_link(FILENAME_CATEGORIES, 'action=new_product_preview&read-only&pID=' . $products['products_id'] . '&origin=' . FILENAME_STATS_PRODUCTS_VIEWED . '?page=' . $HTTP_GET_VARS['page'], 'NONSSL') . '">' . $products['products_name'] . '</a>' . $products['name'] . '</td>
```

to:

```
<td class="dataTableContent"><?php echo '<a href="' . tep_href_link(FILENAME_CATEGORIES, 'action=new_product_preview&read-only&pID=' . $products['products_id'] . '&origin=' . FILENAME_STATS_PRODUCTS_VIEWED . '?page=' . $HTTP_GET_VARS['page']) . '">' . $products['products_name'] . '</a>' . $products['name'] . '</td>
```

admin/whos_online.php

around line 59, change from:

```
echo ' <tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='\'' . tep_href_link(FILENAME_WHOS_ONLINE, tep_get_all_get_params(array('info', 'action')) . 'info=' . $whos_online['session_id'], 'NONSSL') . '\''>' . "\n";
```

to:

```
echo ' <tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='\'' . tep_href_link(FILENAME_WHOS_ONLINE, tep_get_all_get_params(array('info', 'action')) . 'info=' . $whos_online['session_id']) . '\''>' . "\n";
```

[View online at GitHub](#)

Content Modules (6+ files)

This changeset introduces a new Content Modules implementation where the content of a page is loaded through modules. This is introduced for the Login, My Account, and Checkout Success pages.

Although it is easy to add support for Content Modules to existing stores, updating the Login, My Account, and Checkout Success pages will be harder and require further source code changes the more customized those pages are. Please consult with your developer, our partners, or our community forum on how to best integrate the Content Modules feature into your existing pages.

Step 1: Content Modules Administration Page

Step 1 adds the content modules administration page to the Administration Tool -> Modules menu.

Copy the following files to their respective destination:

- admin/includes/boxes/modules_content.php
- admin/includes/languages/english/modules/boxes/modules_content.php
- admin/includes/languages/english/modules_content.php
- admin/modules_content.php

Please copy the english language definition files to the other language directories you have installed and update the definitions for that specific language.

Step 2: Content Modules

Step 2 adds the actual content modules to your store installation.

Copy the following directories to their respective destination:

- ext/modules/content
- includes/languages/english/modules/content
- includes/modules/content
- includes/modules/pages

Please copy the english language definition files to the other language directories you have installed and update the definitions for that specific language.

This adds the following Content Modules which can be installed and configured on the Administration Tool -> Modules -> Content Modules -> Install page:

- Account
 - Set Password
 - Braintree Cards Management Page
 - Sage Pay Cards Management Page
 - Stripe Cards Management Page
- Checkout Success
 - Downloads
 - Product Notifications
 - Redirect Old Order
 - Thank You
- Login
 - Create Account
 - Login
 - Log In with PayPal

The modules that are emphasized are from additional modules included in this release.

Step 3: Template Class

Step 3 adds functions to the template class to call and initialize content modules.

- includes/classes/osc_template.php

around line 14, change from:

```
var $_title;  
var $_blocks = array();  
var $_grid_container_width = 24;  
var $_grid_content_width = 16;  
var $_grid_column_width = 4;
```

to:

```
var $_title;  
var $_blocks = array();  
var $_content = array();  
var $_grid_container_width = 24;  
var $_grid_content_width = 16;  
var $_grid_column_width = 4;  
var $_data = array();
```

around line 110, add the following class functions:

```

function addContent($content, $group) {
    $this->_content[$group][] = $content;
}

function hasContent($group) {
    return (isset($this->_content[$group]) && !empty($this->_content[$group]));
}

function getContent($group) {
    global $language;

    if ( !class_exists('tp_' . $group) && file_exists(DIR_WS_MODULES . 'pages/tp_' . $group . '.php') ) {
        include(DIR_WS_MODULES . 'pages/tp_' . $group . '.php');
    }

    if ( class_exists('tp_' . $group) ) {
        $template_page_class = 'tp_' . $group;
        $template_page = new $template_page_class();
        $template_page->prepare();
    }

    foreach ( $this->getContentModules($group) as $module ) {
        if ( !class_exists($module) ) {
            if ( file_exists(DIR_WS_MODULES . 'content/' . $group . '/' . $module . '.php') ) {
                if ( file_exists(DIR_WS_LANGUAGES . $language . '/modules/content/' . $group . '/' . $module . '.php') ) {
                    include(DIR_WS_LANGUAGES . $language . '/modules/content/' . $group . '/' . $module . '.php');
                }

                include(DIR_WS_MODULES . 'content/' . $group . '/' . $module . '.php');
            }
        }

        if ( class_exists($module) ) {
            $mb = new $module();

            if ( $mb->isEnabled() ) {
                $mb->execute();
            }
        }
    }

    if ( class_exists('tp_' . $group) ) {
        $template_page->build();
    }

    if ($this->hasContent($group)) {
        return implode("\n", $this->_content[$group]);
    }
}

function getContentModules($group) {
    $result = array();

    foreach ( explode(';', MODULE_CONTENT_INSTALLED) as $m ) {
        $module = explode('/', $m, 2);

        if ( $module[0] == $group ) {
            $result[] = $module[1];
        }
    }

    return $result;
}

```

Step 4: Page Updates

Step 4 updates the Login, My Account, and Checkout Success pages to use the installed and configured Content Modules for the page layout.

Login Page

login.php

The code authenticating the customer and presenting the login form and create account link have moved from the login.php page to the Login Form and Create Account Link Content Modules. Due to the source code changes involved and possible customizations applied to your login page, it is recommended to review and compare your login.php page with the v2.3.4 version and apply any customizations in the login process to the Login Form Content Module.

The Login Form Content Module assigns the global \$login_customer_id variable with the customer ID when the customer has been successfully authenticated. This value is then detected in the login.php page and continues to log the customer into their session.

The location of the Login Form Content Module files are at:

- includes/languages/english/modules/content/login/cm_login_form.php (*language definitions*)

- includes/modules/content/login/cm_login_form.php (*main class which authenticates the customer*)
- includes/modules/content/login/templates/login_form.php (*template*)

The location of the Create Account Link Content Module files are at:

- includes/languages/english/modules/content/login/cm_create_account_link.php (*language definitions*)
- includes/modules/content/login/cm_create_account_link.php (*main class*)
- includes/modules/content/login/templates/create_account_link.php (*template*)

The login.php file included in v2.3.4 can be found at:

<https://github.com/osCommerce/oscommerce2/blob/3eaa3d1d0e9646329a1540bc3b63c192b4306f1c/catalog/login.php>

■ includes/languages/english/login.php

The following language definitions have moved and have been replaced by definitions in the Content Modules.

Old Definition	Content Module	New Definition
HEADING_NEW_CUSTOMER	Create Account Link	MODULE_CONTENT_LOGIN_HEADING_NEW_CUSTOMER
TEXT_NEW_CUSTOMER	Create Account Link	MODULE_CONTENT_LOGIN_TEXT_NEW_CUSTOMER
TEXT_NEW_CUSTOMER_INTRODUCTION	Create Account Link	MODULE_CONTENT_LOGIN_TEXT_NEW_CUSTOMER_INTRODUCTION
HEADING_RETURNING_CUSTOMER	Login Form	MODULE_CONTENT_LOGIN_HEADING_RETURNING_CUSTOMER
TEXT_RETURNING_CUSTOMER	Login Form	MODULE_CONTENT_LOGIN_TEXT_RETURNING_CUSTOMER
TEXT_PASSWORD_FORGOTTEN	Login Form	MODULE_CONTENT_LOGIN_TEXT_PASSWORD_FORGOTTEN
TEXT_LOGIN_ERROR	Login Form	MODULE_CONTENT_LOGIN_TEXT_LOGIN_ERROR

My Account Page

■ account.php

The structured links shown on the My Account page are now generated from an array which Content Modules can manipulate. Content Modules can add new sections to the My Account page, add links to existing sections, and also remove or replace links in special occasions.

The standard links for the My Account page are defined in a Content Module Page class which the My Account Content Modules have access to.

The location of the My Account Content Module Page class is at:

- includes/modules/pages/tp_account.php

The standard links for the My Account page include:

- My Account
 - Edit Account
 - Address Book
 - Change Password
- Orders
 - Order History
- Notifications
 - Newsletters
 - Product Notifications

This release introduces a My Account Set Password Content Module that automatically replaces the Change Password link to a Set Password link for accounts that have been created without a password (eg, accounts created through Log In with PayPal or when guests purchase an order with PayPal Express Checkout).

The account.php file included in v2.3.4 can be found at:

<https://github.com/osCommerce/oscommerce2/blob/3eaa3d1d0e9646329a1540bc3b63c192b4306f1c/catalog/account.php>

Checkout Success Page

■ checkout_success.php

The content of the checkout success page has moved and is now built with the following Content Modules:

- Thank You
- Product Notifications
- Downloads

The checkout success page assigns the global \$order_id variable with the order ID of the customers last order which the Checkout Success Content Modules have access to.

The location of the Thank You Content Module files are at:

- includes/languages/english/modules/content/checkout_success/cm_cs_thank_you.php (*language definitions*)
- includes/modules/content/checkout_success/cm_cs_thank_you.php (*main class*)
- includes/modules/content/checkout_success/templates/thank_you.php (*template*)

The location of the Product Notifications Content Module files are at:

- includes/languages/english/modules/content/checkout_success/cm_cs_product_notifications.php (*language definitions*)
- includes/modules/content/checkout_success/cm_cs_product_notifications.php (*main class*)
- includes/modules/content/checkout_success/templates/product_notifications.php (*template*)

The location of the Downloads Content Module files are at:

- includes/languages/english/modules/content/checkout_success/cm_cs_downloads.php (*language definitions*)
- includes/modules/content/checkout_success/cm_cs_downloads.php (*main class*)

The checkout_success.php file included in v2.3.4 can be found at:

https://github.com/osCommerce/oscommerce2/blob/3eaa3d1d0e9646329a1540bc3b63c192b4306f1c/catalog/checkout_success.php

includes/languages/english/checkout_success.php

The following language definitions have moved and have been replaced by definitions in the Content Modules.

Old Definition	Content Module	New Definition
TEXT_SUCCESS	Thank You	MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_SUCCESS
TEXT_SEE_ORDERS	Thank You	MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_SEE_ORDERS
TEXT_CONTACT_STORE_OWNER	Thank You	MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_CONTACT_STORE_OWNER
TEXT_THANKS_FOR_SHOPPING	Thank You	MODULE_CONTENT_CHECKOUT_SUCCESS_TEXT_THANKS_FOR_SHOPPING
TEXT_NOTIFY_PRODUCTS	Product Notifications	MODULE_CONTENT_CHECKOUT_SUCCESS_PRODUCT_NOTIFICATIONS_TEXT_NOTIFY_PRODUCTS
TABLE_HEADING_DOWNLOAD_DATE	Downloads	TABLE_HEADING_DOWNLOAD_DATE
TABLE_HEADING_DOWNLOAD_COUNT	Downloads	TABLE_HEADING_DOWNLOAD_COUNT
HEADING_DOWNLOAD	Downloads	HEADING_DOWNLOAD
FOOTER_DOWNLOAD	Downloads	FOOTER_DOWNLOAD

[View online at GitHub](#)

Version Update (1 file)

This changeset updates the version file.

includes/version.php

change line 1 from:

```
2.3.3.4
```

to:

```
2.3.4
```

[View online at GitHub](#)

Administration Dashboard Latest News and Add-Ons (4+ files)

This changeset updates the Administration Tool Dashboard Latest News and Latest Add-Ons modules.

Copy the following files and directories to their respective directories:

- admin/images/icon_facebook.png
- admin/images/icon_google_plus.png
- admin/images/icon_oscommerce.png
- admin/images/icon_twitter.png
- admin/includes/languages/english/modules/dashboard/d_latest_addons.php
- admin/includes/languages/english/modules/dashboard/d_latest_news.php
- admin/includes/modules/dashboard/d_latest_addons.php
- admin/includes/modules/dashboard/d_latest_news.php

Please also copy and update the language definition file to the other languages you have installed.

It is safe to overwrite existing files with the new version.

[View online at GitHub](#)

Administration Tool Orders Box (3 files)

This changeset moves the Administration Tool -> Customers -> Orders page into a new Administration Tool -> Orders section.

Copy the following files and directories to their respective directories:

admin/includes/boxes/orders.php

In:

admin/includes/boxes/customers.php

around line 20, remove the following lines:

```
),  
array(  
    'code' => FILENAME_ORDERS,  
    'title' => BOX_CUSTOMERS_ORDERS,  
    'link' => tep_href_link(FILENAME_ORDERS)
```

admin/includes/languages/english.php

around line 20, change from:

```
define('BOX_CUSTOMERS_ORDERS', 'Orders');
```

to:

```
// orders box text in includes/boxes/orders.php  
define('BOX_HEADING_ORDERS', 'Orders');  
define('BOX_ORDERS_ORDERS', 'Orders');
```

[View online at GitHub](#)

Payment Acceptance Box (2+ files)

This changeset introduces a new Payment Acceptance box that promotes the payment methods accepted on the store.

Copy the following files and directories to their respective directories:

- 📁 **images/card_acceptance**
- 📄 **includes/languages/english/modules/boxes/bm_card_acceptance.php**
- 📄 **includes/modules/boxes/bm_card_acceptance.php**

Please also copy and update the language definition file to the other languages you have installed.

After this changeset is applied, the module can be installed from the Administration Tool -> Modules -> Boxes -> Install page.

[View online at GitHub](#)

PayPal Modules (23 files)

This changeset updates and introduces new PayPal modules.

Payment Modules

PayPal Express Checkout

Copy the following files to their respective directories:

- 📄 **ext/modules/payment/paypal/express.php**
- 📄 **ext/modules/payment/paypal/paypal.com.crt**
- 📄 **includes/languages/english/modules/payment/paypal_express.php**
- 📄 **includes/modules/payment/paypal_express.php**

Delete the following file:

- 📄 **admin/ext/modules/payment/paypal/paypal_express.php**

PayPal Payments Standard

Copy the following files to their respective directories:

- 📄 **ext/modules/payment/paypal/paypal.com.crt**
- 📄 **ext/modules/payment/paypal/standard_ipn.php**
- 📄 **includes/languages/english/modules/payment/paypal_standard.php**
- 📄 **includes/modules/payment/paypal_standard.php**

PayPal Payments Pro (Direct Payment)

Copy the following files to their respective directories:

- 📄 **ext/modules/payment/paypal/paypal.com.crt**
- 📄 **includes/languages/english/modules/payment/paypal_pro_dp.php**
- 📄 **includes/modules/payment/paypal_pro_dp.php**

PayPal Payments Pro (Hosted Solution)

Copy the following files to their respective directories:

- 📄 **ext/modules/payment/paypal/hosted_checkout.php**
- 📄 **ext/modules/payment/paypal/images/hss_load.gif**
- 📄 **ext/modules/payment/paypal/paypal.com.crt**
- 📄 **ext/modules/payment/paypal/pro_hosted_ipn.php**
- 📄 **includes/languages/english/modules/payment/paypal_pro_hs.php**
- 📄 **includes/modules/payment/paypal_pro_hs.php**

PayPal Express Checkout (Payflow Edition)

Copy the following files to their respective directories:

- 📄 **ext/modules/payment/paypal/express_payflow.php**
- 📄 **ext/modules/payment/paypal/paypal.com.crt**
- 📄 **includes/languages/english/modules/payment/paypal_pro_payflow_ec.php**
- 📄 **includes/modules/payment/paypal_pro_payflow_ec.php**

PayPal Payments Pro (Payflow Edition)

Copy the following files to their respective directories:

- 📄 **ext/modules/payment/paypal/paypal.com.crt**
- 📄 **includes/languages/english/modules/payment/paypal_pro_payflow_dp.php**
- 📄 **includes/modules/payment/paypal_pro_payflow_dp.php**

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the modules can be installed from the Administration Tool -> Modules -> Payment -> Install page, or configured from the Administration Tool -> Modules -> Payment page if they were previously installed.

It is important to review the module configuration parameters of modules that were previously installed to make sure new parameters have been configured properly.

It is safe to overwrite existing files with the new version.

Content Modules

Log In with PayPal

Copy the following files to their respective directories:

- `ext/modules/payment/paypal/paypal.com.crt`
- `includes/languages/english/modules/content/login/cm_paypal_login.php`
- `includes/modules/content/login/cm_paypal_login.php`
- `includes/modules/content/login/templates/paypal_login.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the module can be installed from the Administration Tool -> Modules -> Content -> Install page.

[View online at GitHub](#)



Sage Pay Modules (12 files)

This changeset updates and introduces new Sage Pay modules.

Payment Modules

Sage Pay Direct

Copy the following files to their respective directories:

- `ext/modules/payment/sage_pay/checkout.php`
- `ext/modules/payment/sage_pay/direct_3dauth.php`
- `ext/modules/payment/sage_pay/errors.php`
- `ext/modules/payment/sage_pay/redirect.php`
- `includes/languages/english/modules/payment/sage_pay_direct.php`
- `includes/modules/payment/sage_pay_direct.php`

Sage Pay Form

Copy the following files to their respective directories:

- `ext/modules/payment/sage_pay/errors.php`
- `includes/languages/english/modules/payment/sage_pay_form.php`
- `includes/modules/payment/sage_pay_form.php`

Sage Pay Server

Copy the following files to their respective directories:

- `ext/modules/payment/sage_pay/checkout.php`
- `ext/modules/payment/sage_pay/errors.php`
- `ext/modules/payment/sage_pay/redirect.php`
- `ext/modules/payment/sage_pay/server.php`
- `includes/languages/english/modules/payment/sage_pay_server.php`
- `includes/modules/payment/sage_pay_server.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the modules can be installed from the Administration Tool -> Modules -> Payment -> Install page, or configured from the Administration Tool -> Modules -> Payment page if they were previously installed.

It is important to review the module configuration parameters of modules that were previously installed to make sure new parameters have been configured properly.

It is safe to overwrite existing files with the new version.

Content Modules

Sage Pay Cards Management Page

Copy the following files to their respective directories:

- `ext/modules/content/account/sage_pay/cards.php`
- `includes/languages/english/modules/content/account/cm_account_sage_pay_cards.php`
- `includes/modules/content/account/cm_account_sage_pay_cards.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the module can be installed from the Administration Tool -> Modules -> Content -> Install page.

[View online at GitHub](#)



Authorize.net Modules (7 files)

This changeset updates and introduces new Authorize.net modules.

Payment Modules

Authorize.net Advanced Integration Method (AIM)

Copy the following files to their respective directories:

- 📁 `ext/modules/payment/authorize.net.crt`
- 📁 `includes/languages/english/modules/payment/authorize.net_cc_aim.php`
- 📁 `includes/modules/payment/authorize.net_cc_aim.php`

Authorize.net Server Integration Method (SIM)

Copy the following files to their respective directories:

- 📁 `includes/languages/english/modules/payment/authorize.net_cc_sim.php`
- 📁 `includes/modules/payment/authorize.net_cc_sim.php`

Authorize.net Direct Post Method (DPM)

Copy the following files to their respective directories:

- 📁 `includes/languages/english/modules/payment/authorize.net_cc_dpm.php`
- 📁 `includes/modules/payment/authorize.net_cc_dpm.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the modules can be installed from the Administration Tool -> Modules -> Payment -> Install page, or configured from the Administration Tool -> Modules -> Payment page if they were previously installed.

It is important to review the module configuration parameters of modules that were previously installed to make sure new parameters have been configured properly.

It is safe to overwrite existing files with the new version.

[View online at GitHub](#)

Stripe Modules (5 files)

This changeset introduces new Stripe modules.

Payment Modules

Stripe.js

Copy the following files to their respective directories:

- 📁 `includes/languages/english/modules/payment/stripe.php`
- 📁 `includes/modules/payment/stripe.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the modules can be installed from the Administration Tool -> Modules -> Payment -> Install page, or configured from the Administration Tool -> Modules -> Payment page if they were previously installed.

Content Modules

Stripe Cards Management Page

Copy the following files to their respective directories:

- 📁 `ext/modules/content/account/stripe/cards.php`
- 📁 `includes/languages/english/modules/content/account/cm_account_stripe_cards.php`
- 📁 `includes/modules/content/account/cm_account_stripe_cards.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the module can be installed from the Administration Tool -> Modules -> Content -> Install page.

[View online at GitHub](#)

Braintree Modules (5+ files)

This changeset introduces new Braintree modules.

Payment Modules

Braintree

Copy the following files and directories to their respective directories:

- 📁 `includes/languages/english/modules/payment/braintree_cc.php`
- 📁 `includes/modules/payment/braintree_cc`
- 📁 `includes/modules/payment/braintree_cc.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the modules can be installed from the Administration Tool -> Modules -> Payment -> Install page, or configured from the Administration Tool -> Modules -> Payment page if they were previously installed.

Content Modules

Braintree Cards Management Page

Copy the following files to their respective directories:

- ❏ `ext/modules/content/account/braintree/cards.php`
- ❏ `includes/languages/english/modules/content/account/cm_account_braintree_cards.php`
- ❏ `includes/modules/content/account/cm_account_braintree_cards.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the module can be installed from the Administration Tool -> Modules -> Content -> Install page.

[View online at GitHub](#)

WorldPay Modules (3 files)

This changeset updates the WorldPay Hosted Payment Pages module.

Payment Modules

WorldPay Hosted Payment Pages

Copy the following files and directories to their respective directories:

- ❏ `ext/modules/payment/rbsworldpay/hosted_callback.php`
- ❏ `includes/languages/english/modules/payment/rbsworldpay_hosted.php`
- ❏ `includes/modules/payment/rbsworldpay_hosted.php`

Please also copy and update the language definition file to the other languages you have installed.

After the files have been copied, the modules can be installed from the Administration Tool -> Modules -> Payment -> Install page, or configured from the Administration Tool -> Modules -> Payment page if they were previously installed.

It is important to review the module configuration parameters of modules that were previously installed to make sure new parameters have been configured properly.

It is safe to overwrite existing files with the new version.

[View online at GitHub](#)

Thank You!

We'd like to thank the community for their feedback on our releases. In addition, we thank the following people who participated in the development of this release.

Bug Reporters

[dculley](#)

[Gergely](#)

[mattjt83](#)

[wHiTeHaT](#)

Testers

[altoid](#)

[ArtcoInc](#)

[burt](#)

[Gyakutsuki](#)

[hax8220](#)

[joli1811](#)

[tim_ver](#)

[Tsimi](#)

[wHiTeHaT](#)

Reference

A full list of source code changes can be seen at:

<https://github.com/osCommerce/oscommerce2/compare/v2.3.3.4...upgrade234>